


SITE LOCUS
NOT TO SCALE


- NOTES:
1. THE SITE IS REFERENCED AS NEW BEDFORD ASSESSORS MAP 60 LOT 2
 2. CONTOUR ELEVATION 6 REPRESENTS LIMIT OF LAND SUBJECT TO COASTAL FLOWAGE
 3. SHELTER TO BE 42-FEET BY 72-FEET AS DESIGNED BY SHELTERS OF AMERICA OR APPROVED EQUAL.
 4. SHELTER TO BE ANCHORED WITH HELICAL PILES. SEE DETAIL THIS SHEET.
 5. EXISTING SOIL IN SHELTER TO REMAIN. NO SLAB WILL BE INSTALLED
 6. NO EROSION CONTROL WILL BE REQUIRED

CONSTRUCTION SEQUENCE FOR AUGER STYLE EARTH ANCHORS:

1. DIG A 10-INCH DIAMETER HOLE TO A DEPTH OF 20-INCHES.
2. TWIST THE ANCHOR INTO THE HOLE UNTIL ITS EYE IS AT GROUND LEVEL.
3. RETURN 6-INCHES OF THE REMOVED MATERIAL TO THE HOLE AND PACK IT AROUND THE ANCHOR. CONTINUE ADDING AND PACKING THE MATERIAL UNTIL THE ANCHOR IS SECURE (SEE FIGURE BELOW).
4. ALL CONSTRUCTION METHODOLOGIES TO BE IN ACCORDANCE WITH CLEARSPAN SPECIFICATIONS.



EARTH AUGER DETAIL
NOT TO SCALE



CROSS SECTION A-A
NOT TO SCALE



DRAWING TITLE				PROPOSED BOAT SHELTER		SCALE: 1" = 20'	
PROJECT				POPES ISLAND NEW BEDFORD, MASSACHUSETTS		DATE: MAY 7, 2014	
CLIENT				NEW BEDFORD ROWING CENTER INC.		DRAWN BY: TRW	
DESIGNED BY:				RJR		DESIGNED BY: RJR	
CHECKED BY:				RJR		SHEET NO. 1 OF 1	
APPROVED BY:				RJR		PROJECT NO. 2043-01-01	
REV.	DATE	DESCRIPTION	BY	APP.	P.O. BOX 1088 350 BEDFORD ST. LAKEVILLE, MA 02347 TEL: 508.947.0050 FAX: 508.947.2004 		

