Summary of PCB Homolog Results for Air Samples -- February 2011
New Bedford High School
New Bedford, Massachusetts

Analysis	Analyte	EPA Public Health Levels: Age 1-<2 yr	Age 2-<3 yr	Age 3-<6 yr	Age 6-<12 yr Elementary School	Age 12-<15 yr Middle School	Age 15-<19 yr High School	Age 19+ yr Adult	EPA Project Threshold for Further Investigation	Acceptable Long-Term Average Exposure Concentration	A-110-1	A-112-1	A-117-1	A-105-2	A-105-2	A-112-2	A-112-3	A-114-3	A-105-4	A-110-4	A-112-4	B-113 (Shipping Area)
	Sample ID:										TRC-10A-680-1	TRC-10A-680-2	TRC-10A-680-3	TRC-10A-680-4	TRC-10A-680-17	TRC-10A-680-5	TRC-10A-680-6	TRC-10A-680-7	TRC-10A-680-8	TRC-10A-680-9	TRC-10A-680-10	TRC-10A-680-11
	Sample Date:										2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011
															Field Dup							
PCB Homologs																						
(ug/m3)	Monochlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.0007 U	0.00071 U	0.00068 U	0.00066 U	0.0007 U	0.00067 U	0.00067 U	0.00068 U	0.00066 U	0.00067 U	0.00073 U	0.00067 U
	Dichlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	**0.188 J**	**0.0193 J**	**0.00532 J**	**0.003 J**	0.0007 UJ	**0.0307 J**	**0.0263 J**	0.00068 U	**0.00252 J**	0.00067 U	**0.00387 J**	0.00067 U
	Trichlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	**0.508 J**	**0.0235 J**	**0.00634 J**	0.00066 U	0.0007 U	**0.0504 J**	**0.0207 J**	0.00068 U	0.00066 U	0.00067 U	**0.00462 J**	0.00067 U
	Tetrachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	**0.397 J**	0.00143 U	0.00135 U	0.00132 U	0.00141 U	0.00134 U	0.00134 U	0.00136 U	0.00133 U	0.00133 U	0.00146 U	0.00134 U
	Pentachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	**0.00582 J**	0.00143 U	0.00135 U	0.00132 U	0.00141 U	0.00134 U	0.00134 U	0.00136 U	0.00133 U	0.00133 U	0.00146 U	0.00134 U
	Hexachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00140 U	0.00143 U	0.00135 U	0.00132 U	0.00141 U	0.00134 U	0.00134 U	0.00136 U	0.00133 U	0.00133 U	0.00146 U	0.00134 U
	Heptachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00209 U	0.00214 U	0.00202 U	0.00198 U	0.00211 U	0.00200 U	0.00201 U	0.00203 U	0.00199 U	0.00200 U	0.00219 U	0.00202 U
	Octachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00209 U	0.00214 U	0.00202 U	0.00198 U	0.00211 U	0.00200 U	0.00201 U	0.00203 U	0.00199 U	0.00200 U	0.00219 U	0.00202 U
	Nonachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00349 U	0.00356 U	0.00337 U	0.00330 U	0.00351 U	0.00334 U	0.00336 U	0.00339 U	0.00331 U	0.00333 U	0.00364 U	0.00336 U
	Decachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00349 U	0.00356 U	0.00337 U	0.00330 U	0.00351 U	0.00334 U	0.00336 U	0.00339 U	0.00331 U	0.00333 U	0.00364 U	0.00336 U
	Total PCBs	0.07	0.07	0.1	0.3	0.45	0.6	0.45	0.05	0.3	**1.10 J**	**0.0428 J**	**0.0117 J**	**0.003 J**	0.00351 UJ	**0.0811 J**	**0.0470 J**	0.00339 U	**0.00252 J**	0.00333 U	**0.0085 J**	0.00336 U

Notes:

ug/m3 - micrograms per cubic meter.

J - Estimated value.

N/A - Not applicable.

U - Compound was not detected at specified quantitation limit.

UJ - Estimated non-detect.

Values in **Bold** indicate the compound was detected.

Values shown in Bold and shaded type exceed one or more of the listed EPA standards/criteria.

PCBs - Polychlorinated Biphenyls.

Summary of PCB Homolog Results for Air Samples -- February 2011
New Bedford High School
New Bedford, Massachusetts

Analysis	Analyte	EPA Public Health Levels: Age 1-<2 yr	Age 2-<3 yr	Age 3-<6 yr	Age 6-<12 yr Elementary School	Age 12-<15 yr Middle School	Age 15-<19 yr High School	Age 19+ yr Adult	EPA Project Threshold for Further Investigation	Acceptable Long-Term Average Exposure Concentration	B-114 (Mechanical Room)	D-112	D-124	D-122	D-143	A-205-1		Locker 1579	B-240	B-288	B-242	A-203-2	A-205-3
	Sample ID:										TRC-10A-680-12	TRC-10A-680-13	TRC-10A-680-14	TRC-10A-680-15	TRC-10A-680-16	TRC-10A-680-19	TRC-10A-680-40	TRC-10A-680-20	TRC-10A-680-21	TRC-10A-680-22	TRC-10A-680-23	TRC-10A-680-24	TRC-10A-680-25
	Sample Date:										2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011 Field Dup	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011
PCB Homologs																							
(ug/m3)	Monochlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00072 U	0.00068 U	0.00069 U	0.00068 U	0.00068 U	0.00066 U	0.00065 UJ	0.00065 U	0.00065 U	0.00068 U	0.00066 U	0.00067 U	0.00067 U
	Dichlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	**0.00521 J**	0.00068 U	0.00069 U	0.00068 U	0.00068 U	**0.00266 J**	0.00065 UJ	**0.0108 J**	0.00065 U	**0.00321 J**	0.00066 U	**0.0447 J**	0.00067 U
	Trichlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	**0.00656 J**	0.00068 U	0.00069 U	0.00068 U	0.00068 U	0.00066 U	0.00065 U	**0.0144 J**	0.00065 U	0.00068 U	0.00066 U	**0.243 J**	0.00067 U
	Tetrachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00143 U	0.00137 U	0.00137 U	0.00136 U	0.00136 U	0.00133 U	0.00131 U	0.00130 U	0.00129 U	0.00136 U	0.00133 U	**0.154 J**	0.00135 U
	Pentachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00143 U	0.00137 U	0.00137 U	0.00136 U	0.00136 U	0.00133 U	0.00131 U	0.00130 U	0.00129 U	0.00136 U	0.00133 U	0.00134 U	0.00135 U
	Hexachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00143 U	0.00137 U	0.00137 U	0.00136 U	0.00136 U	0.00133 U	0.00131 U	0.00130 U	0.00129 U	0.00136 U	0.00133 U	0.00134 U	0.00135 U
	Heptachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00215 U	0.00205 U	0.00206 U	0.00204 U	0.00204 U	0.00199 U	0.00196 U	0.00195 U	0.00194 U	0.00204 U	0.00199 U	0.00202 U	0.00202 U
	Octachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00215 U	0.00205 U	0.00206 U	0.00204 U	0.00204 U	0.00199 U	0.00196 U	0.00195 U	0.00194 U	0.00204 U	0.00199 U	0.00202 U	0.00202 U
	Nonachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00358 U	0.00341 U	0.00343 U	0.00340 U	0.00340 U	0.00331 U	0.00327 U	0.00325 U	0.00324 U	0.00340 U	0.00332 U	0.00336 U	0.00337 U
	Decachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00358 U	0.00341 U	0.00343 U	0.00340 U	0.00340 U	0.00331 U	0.00327 U	0.00325 U	0.00324 U	0.00340 U	0.00332 U	0.00336 U	0.00337 U
	Total PCBs	0.07	0.07	0.1	0.3	0.45	0.6	0.45	0.05	0.3	**0.0118 J**	0.00341 U	0.00343 U	0.00340 U	0.00340 U	**0.00266 J**	0.00327 UJ	**0.0252 J**	0.00324 U	**0.00321 J**	0.00332 U	**0.441 J**	0.00337 U

Notes:
ug/m3 - micrograms per cubic meter.
J - Estimated value.
N/A - Not applicable.
U - Compound was not detected at specified quantitation limit.
UJ - Estimated non-detect.
Values in **Bold** indicate the compound was detected.
Values shown in Bold and shaded type exceed one or more of the listed EPA standards/criteria.
PCBs - Polychlorinated Biphenyls.

Summary of PCB Homolog Results for Air Samples -- February 2011
New Bedford High School
New Bedford, Massachusetts

Analysis	Analyte	EPA Public Health Levels: Age 1-<2 yr	Age 2-<3 yr	Age 3-<6 yr	Age 6-<12 yr Elementary School	Age 12-<15 yr Middle School	Age 15-<19 yr High School	Age 19+ yr Adult	EPA Project Threshold for Further Investigation	Acceptable Long-Term Average Exposure Concentration	B-block Hallway	A-205-4	A-212-4	A-217-4	A-227-4 (Little Whalers)	Planetarium	Main Office	D-208	D-block Second Floor Hallway	D-250 (Little Theater)	E-118 (Health Ed. Room)	Boys Pool Locker Room
	Sample ID:										TRC-10A-680-26	TRC-10A-680-27	TRC-10A-680-28	TRC-10A-680-29	TRC-10A-680-30	TRC-10A-680-31	TRC-10A-680-32	TRC-10A-680-33	TRC-10A-680-34	TRC-10A-680-35	TRC-10A-680-36	TRC-10A-680-37
	Sample Date:										2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011
PCB Homologs																						
(ug/m3)	Monochlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00067 U	0.00067 U	0.00066 U	0.00066 U	0.0007 U	0.00069 U	0.00068 U	0.00067 U	0.00068 U	0.0007 U	0.00068 U	0.00067 U
	Dichlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	**0.00389 J**	0.00067 U	**0.0151 J**	0.00066 U	0.0007 U	0.00069 U	0.00068 U	0.00067 U	**0.00382 J**	0.0007 U	0.00068 U	0.00067 U
	Trichlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	**0.00271 J**	0.00067 U	**0.0406 J**	0.00066 U	0.0007 U	0.00069 U	0.00068 U	0.00067 U	**0.00248 J**	0.0007 U	0.00068 U	0.00067 U
	Tetrachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00134 U	0.00134 U	**0.0285 J**	0.00132 U	0.00140 U	0.00138 U	0.00136 U	0.00134 U	0.00135 U	0.00139 U	0.00135 U	0.00133 U
	Pentachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00134 U	0.00134 U	0.00131 U	0.00132 U	0.00140 U	0.00138 U	0.00136 U	0.00134 U	0.00135 U	0.00139 U	0.00135 U	0.00133 U
	Hexachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00134 U	0.00134 U	0.00131 U	0.00132 U	0.00140 U	0.00138 U	0.00136 U	0.00134 U	0.00135 U	0.00139 U	0.00135 U	0.00133 U
	Heptachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00200 U	0.00201 U	0.00197 U	0.00198 U	0.00210 U	0.00207 U	0.00203 U	0.00200 U	0.00203 U	0.00209 U	0.00203 U	0.00200 U
	Octachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00200 U	0.00201 U	0.00197 U	0.00198 U	0.00210 U	0.00207 U	0.00203 U	0.00200 U	0.00203 U	0.00209 U	0.00203 U	0.00200 U
	Nonachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00334 U	0.00335 U	0.00329 U	0.00331 U	0.00350 U	0.00346 U	0.00339 U	0.00334 U	0.00338 U	0.00348 U	0.00338 U	0.00333 U
	Decachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00334 U	0.00335 U	0.00329 U	0.00331 U	0.00350 U	0.00346 U	0.00339 U	0.00334 U	0.00338 U	0.00348 U	0.00338 U	0.00333 U
	Total PCBs	0.07	0.07	0.1	0.3	0.45	0.6	0.45	0.05	0.3	**0.00659 J**	0.00335 U	**0.0842 J**	0.00331 U	0.00350 U	0.00346 U	0.00339 U	0.00334 U	**0.0063 J**	0.00348 U	0.00338 U	0.00333 U

Notes:

ug/m3 - micrograms per cubic meter.

J - Estimated value.

N/A - Not applicable.

U - Compound was not detected at specified quantitation limit.

UJ - Estimated non-detect.

Values in **Bold** indicate the compound was detected.

Values shown in Bold and shaded type exceed one or more of the listed EPA standards/criteria.

PCBs - Polychlorinated Biphenyls.

Summary of PCB Homolog Results for Air Samples -- February 2011
New Bedford High School
New Bedford, Massachusetts

Analysis	Analyte	EPA Public Health Levels: Age 1-<2 yr	Age 2-<3 yr	Age 3-<6 yr	Age 6-<12 yr Elementary School	Age 12-<15 yr Middle School	Age 15-<19 yr High School	Age 19+ yr Adult	EPA Project Threshold for Further Investigation	Acceptable Long-Term Average Exposure Concentration	Sample Location: Pool Filter Room	Girls Pool Locker Room	B-320 (Bio Lab)		A-303-1	A-306-1	A-310-1	A-315-1	A-311-2	A-307-3	A-315-4	BG1 Playground	BG2 (Flag Pole)
										Sample ID:	TRC-10A-680-38	TRC-10A-680-39	TRC-10A-680-42	TRC-10A-680-50	TRC-10A-680-43	TRC-10A-680-44	TRC-10A-680-45	TRC-10A-680-46	TRC-10A-680-47	TRC-10A-680-48	TRC-10A-680-49	TRC-10A-680-52	TRC-10A-680-53
										Sample Date:	2/23/2011	2/23/2011	2/23/2011	2/23/2011 Field Dup	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011
PCB Homologs																							
(ug/m3)	Monochlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00062 U	0.00069 UJ	0.00067 UJ	0.00067 U	0.000660 UJ	0.0007 UJ	0.00069 U	0.00067 U	0.00069 U	0.00066 U	0.00068 U	0.00069 U	0.00068 U
	Dichlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00062 U	0.00069 U	**0.00429**	**0.00476 J**	**0.0139**	**0.0183**	0.00069 U	**0.162 J**	**0.0270**	0.00066 U	**0.0368 J**	0.00069 U	0.00068 U
	Trichlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00062 U	0.00069 U	**0.0077 J**	**0.0177 J**	**0.0104**	**0.00707**	0.00069 U	**0.658 J**	**0.0663**	**0.0633 J**	**0.0536 J**	0.00069 U	0.00068 U
	Tetrachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00124 U	0.00137 U	0.00135 U	0.00134 U	0.00132 U	0.00139 U	0.00137 U	**0.583 J**	**0.00523**	**0.0761 J**	**0.00422 J**	0.00137 U	0.00135 U
	Pentachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00124 U	0.00137 U	0.00135 U	0.00134 U	0.00132 U	0.00139 U	0.00137 U	**0.0491 J**	0.00138 U	0.00133 U	0.00135 U	0.00137 U	0.00135 U
	Hexachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00124 U	0.00137 U	0.00135 U	0.00134 U	0.00132 U	0.00139 U	0.00137 U	0.00134 U	0.00138 U	0.00133 U	0.00135 U	0.00137 U	0.00135 U
	Heptachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00186 U	0.00206 U	0.00202 U	0.00202 U	0.00198 U	0.00209 U	0.00206 U	0.00201 U	0.00207 U	0.00199 U	0.00203 U	0.00206 U	0.00203 U
	Octachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00186 U	0.00206 U	0.00202 U	0.00202 U	0.00198 U	0.00209 U	0.00206 U	0.00201 U	0.00207 U	0.00199 U	0.00203 U	0.00206 U	0.00203 U
	Nonachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00309 U	0.00343 U	0.00336 U	0.00336 U	0.00330 U	0.00348 U	0.00344 U	0.00335 U	0.00345 U	0.00332 U	0.00338 U	0.00344 U	0.00339 U
	Decachlorobiphenyl	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0.00309 U	0.00343 U	0.00336 U	0.00336 U	0.00330 U	0.00348 U	**0.00408 J**	0.00335 U	0.00345 U	0.00332 U	0.00338 U	0.00344 U	0.00339 U
	Total PCBs	0.07	0.07	0.1	0.3	0.45	0.6	0.45	0.05	0.3	0.00309 U	0.00343 U	**0.0120 J**	**0.0225 J**	**0.0243**	**0.0254**	**0.00408 J**	**1.45 J**	**0.0986**	**0.139 J**	**0.0946 J**	0.00344 U	0.00339 U

Notes:
ug/m3 - micrograms per cubic meter.
J - Estimated value.
N/A - Not applicable.
U - Compound was not detected at specified quantitation limit.
UJ - Estimated non-detect.
Values in **Bold** indicate the compound was detected.
Values shown in Bold and shaded type exceed one or more of the listed EPA standards/criteria.
PCBs - Polychlorinated Biphenyls.

Summary of PCB Congener Results for Air Samples -- February 2011
New Bedford High School
New Bedford, Massachusetts

Analysis	Analyte	Sample Location:	A-105-2	A105-4	A110-4	D-143 (Rifle Range)	A-205-1	A-205-3
		Sample ID:	TRC-10A-1668-1	TRC-10A-1668-2	TRC-10A-1668-3	TRC-10A-1668-4	TRC-10A-1668-5	TRC-10A-1668-6
		Sample Date:	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011
		RSL						
PCB Congeners								
(ug/m3)	3,4,4',5-TeCB (PCB 81)	1.1E-03	**1.0E-06 J**	**9.1E-07 J**	**1.8E-06 J**	3.3E-07 U	**2.7E-06 J**	**1.8E-06 J**
	3,3',4,4'-TeCB (PCB 77)	3.2E-03	**1.2E-05 J**	8.7E-06 U	**2.0E-05 J**	4.2E-06 U	**3.0E-05 J**	**2.5E-05 J**
	2',3,4,4',5-PeCB (PCB 123)	1.1E-02	**1.4E-06 J**	**6.2E-07 J**	**1.8E-06 J**	**7.5E-07 J**	**2.4E-06 J**	**2.7E-06 J**
	2,3',4,4',5-PeCB (PCB 118)	1.1E-02	**3.8E-05**	2.7E-05 U	**6.3E-05**	3.0E-05 U	**8.2E-05**	**9.0E-05**
	2,3,4,4',5-PeCB (PCB 114)	1.1E-02	2.6E-06 U	2.3E-06 U	**5.1E-06 J**	1.5E-06 U	**6.4E-06 J**	**6.4E-06 J**
	2,3,3',4,4'-PeCB (PCB 105)	1.1E-02	**1.5E-05 J**	1.1E-05 U	**3.4E-05 J**	9.8E-06 U	**3.9E-05**	**4.4E-05**
	3,3',4,4',5-PeCB (PCB 126)	3.2E-06	3.1E-07 U	4.8E-07 U	4.0E-07 UJ	4.3E-07 U	4.5E-07 U	5.1E-07 U
	2,3',4,4',5,5'-HxCB (PCB 167)	1.1E-02	**5.4E-07 J**	**4.7E-07 J**	**6.5E-07 J**	**8.3E-07 J**	**1.1E-06 J**	**1.3E-06 J**
	2,3,3',4,4',5-HxCB (PCB 156)	1.1E-02	1.4E-06 U	8.5E-07 UJ	2.1E-06 U	1.6E-06 U	2.0E-06 U	3.1E-06 U
	2,3,3',4,4',5'-HxCB (PCB 157)	1.1E-02	4.8E-07 U	3.1E-07 UJ	3.8E-07 UJ	3.1E-07 UJ	5.1E-07 U	5.4E-07 U
	3,3',4,4',5,5'-HxCB (PCB 169)	1.1E-05	1.6E-07 U	3.1E-07 UJ	1.4E-07 UJ	1.9E-07 UJ	1.1E-07 U	1.0E-07 U
	2,3,3',4,4',5,5'-HpCB (PCB 189	1.1E-02	1.8E-07 U	2.8E-07 U	**1.9E-07 J**	**2.2E-07 J**	1.9E-07 U	**2.3E-07 J**
	TEQ	***3.2E-07****	***2.1E-08 J***	***3.0E-08 J***	***2.8E-08 J***	***2.5E-08 J***	***3.2E-08 J***	***3.5E-08 J***

Notes:

ug/m3 - micrograms per cubic meter.

J - Estimated value.

U - Compound was not detected at specified limit of detection.

UJ - Estimated non-detect.

Values in **Bold** indicate the compound was detected.

Values shown in Bold and shaded type exceed RSL.

PCBs - Polychlorinated Biphenyls.

TEQ - Toxic Equivalents of dioxins-like PCB congeners; calculated using 2005 WHO TEF with EMPC and nondetects equal to one half of the limit of detection.

RSL - EPA Regional Screening Level (RSL) Summary Table, Industrial Air, November 2010.

* - RSL for 2,3,7,8-TCDD used.

Summary of PCB Congener Results for Air Samples -- February 2011
New Bedford High School
New Bedford, Massachusetts

Analysis	Analyte	Sample Location:	B-block Hallway	A-212-4 (Little Whalers)	A-227-4	B-320 (Bio Lab)		Blank
		Sample ID:	TRC-10A-1668-7	TRC-10A-1668-8	TRC-10A-1668-9	TRC-10A-1668-10	TRC-10A-1668-11	TRC-10A-1668-12
		Sample Date:	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011	2/23/2011
		RSL					Field Dup	Field Blank
PCB Congeners								
(ug/m3)	3,4,4',5-TeCB (PCB 81)	1.1E-03	**1.4E-06 J**	**2.0E-05 J**	**7.2E-07 J**	**4.5E-06 J**	**4.6E-06 J**	3.0E-07 U
	3,3',4,4'-TeCB (PCB 77)	3.2E-03	**1.7E-05 J**	**2.8E-04**	**1.1E-05 J**	**6.4E-05**	**6.2E-05**	1.2E-06 U
	2',3,4,4',5-PeCB (PCB 123)	1.1E-02	**8.1E-07 J**	**2.3E-05 J**	**1.0E-06 J**	**3.7E-06 J**	**2.6E-06 J**	4.0E-07 U
	2,3',4,4',5-PeCB (PCB 118)	1.1E-02	**5.6E-05**	**6.2E-04**	**3.8E-05**	**1.3E-04**	**1.2E-04**	5.1E-06 U
	2,3,4,4',5-PeCB (PCB 114)	1.1E-02	**4.1E-06 J**	**5.4E-05**	2.5E-06 U	**1.1E-05 J**	**1.1E-05 J**	4.5E-07 U
	2,3,3',4,4'-PeCB (PCB 105)	1.1E-02	**2.5E-05 J**	**3.9E-04**	**1.8E-05 J**	**7.1E-05**	**6.7E-05**	**2.5E-06 J**
	3,3',4,4',5-PeCB (PCB 126)	3.2E-06	3.5E-07 U	**2.8E-06 J**	3.1E-07 U	6.2E-07 U	4.4E-07 U	3.4E-07 U
	2,3',4,4',5,5'-HxCB (PCB 167)	1.1E-02	**8.2E-07 J**	**3.6E-06 J**	**7.7E-07 J**	**7.7E-07 J**	**7.9E-07 J**	2.7E-07 U
	2,3,3',4,4',5-HxCB (PCB 156)	1.1E-02	2.2E-06 U	**9.6E-06 J**	1.9E-06 UJ	2.4E-06 U	2.1E-06 U	4.1E-07 UJ
	2,3,3',4,4',5'-HxCB (PCB 157)	1.1E-02	3.8E-07 UJ	2.0E-06 UJ	2.9E-07 U	6.2E-07 U	4.1E-07 UJ	2.1E-07 U
	3,3',4,4',5,5'-HxCB (PCB 169)	1.1E-05	1.1E-07 U	1.6E-07 U	1.1E-07 U	1.1E-07 U	1.0E-07 U	1.1E-07 U
	2,3,3',4,4',5,5'-HpCB (PCB 189	1.1E-02	**2.6E-07 J**	**1.6E-07 J**	**1.7E-07 J**	1.2E-07 U	1.4E-07 U	1.2E-07 U
	TEQ	***3.2E-07****	***2.4E-08 J***	***3.5E-07 J***	***2.0E-08 J***	***4.7E-08 J***	***3.7E-08 J***	***1.9E-08 J***

Notes:

ug/m3 - micrograms per cubic meter.

J - Estimated value.

U - Compound was not detected at specified limit of detection.

UJ - Estimated non-detect.

Values in **Bold** indicate the compound was detected.

Values shown in Bold and shaded type exceed RSL.

PCBs - Polychlorinated Biphenyls.

TEQ - Toxic Equivalents of dioxins-like PCB congeners; calculated using 2005 WHO TEF with EMPC and nondetects equal to one half of the limit of detection.

RSL - EPA Regional Screening Level (RSL) Summary Table, Industrial Air, November 2010

* - RSL for 2,3,7,8-TCDD used.