



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 2/24/2009

TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852
ATTN: DAVID SULLIVAN

CONTRACT NUMBER:
PURCHASE ORDER NUMBER:

PROJECT NUMBER:

ANALYTICAL SUMMARY

LIMS BAT #: LIMT-23321
JOB NUMBER: 115058

PROJECT LOCATION: CITY OF NEW BEDFORD (WALSH)

| FIELD SAMPLE # | LAB ID | MATRIX | SAMPLE DESCRIPTION | TEST | Subcontract Lab (if any) Cert. Nos. |
|----------------|----------|--------|--------------------|------------------|-------------------------------------|
| POST-11 (1-3) | 09B04497 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-11 (1-3) | 09B04497 | SOIL | Not Specified | solids (percent) | |
| POST-1A (0-1) | 09B04485 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1A (0-1) | 09B04485 | SOIL | Not Specified | solids (percent) | |
| POST-1A (1-3) | 09B04486 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1A (1-3) | 09B04486 | SOIL | Not Specified | solids (percent) | |
| POST-1B (0-1) | 09B04489 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1B (0-1) | 09B04489 | SOIL | Not Specified | solids (percent) | |
| POST-1B (1-3) | 09B04490 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1B (1-3) | 09B04490 | SOIL | Not Specified | solids (percent) | |
| POST-1C (0-1) | 09B04493 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1C (0-1) | 09B04493 | SOIL | Not Specified | solids (percent) | |
| POST-1C (1-3) | 09B04494 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1C (1-3) | 09B04494 | SOIL | Not Specified | solids (percent) | |
| POST-1D (0-1) | 09B04498 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1D (0-1) | 09B04498 | SOIL | Not Specified | solids (percent) | |
| POST-1D (1-3) | 09B04499 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1D (1-3) | 09B04499 | SOIL | Not Specified | solids (percent) | |
| POST-1E (0-1) | 09B04487 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1E (0-1) | 09B04487 | SOIL | Not Specified | solids (percent) | |
| POST-1E (1-3) | 09B04488 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1E (1-3) | 09B04488 | SOIL | Not Specified | solids (percent) | |
| POST-1F (0-1) | 09B04491 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1F (0-1) | 09B04491 | SOIL | Not Specified | solids (percent) | |
| POST-1F (1-3) | 09B04492 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1F (1-3) | 09B04492 | SOIL | Not Specified | solids (percent) | |
| POST-1G (0-1) | 09B04495 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1G (0-1) | 09B04495 | SOIL | Not Specified | solids (percent) | |
| POST-1G (1-3) | 09B04496 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1G (1-3) | 09B04496 | SOIL | Not Specified | solids (percent) | |
| POST-1H (0-1) | 09B04500 | SOIL | Not Specified | as (mg/kg)dw icp | |
| POST-1H (0-1) | 09B04500 | SOIL | Not Specified | solids (percent) | |



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 2/24/2009

TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852
ATTN: DAVID SULLIVAN

CONTRACT NUMBER:
PURCHASE ORDER NUMBER:

PROJECT NUMBER:

ANALYTICAL SUMMARY

LIMS BAT #: LIMIT-23321

JOB NUMBER: 115058

Comments :

LIMS BATCH NO. : LIMIT-23321

CASE NARRATIVE SUMMARY

Recommended sample holding times were not exceeded for all samples unless listed below:
None Exceeded

All samples for the method(s) listed were received preserved properly in the proper containers at 4°C +/- 2 degrees as specified on the chain-of-custody form unless listed below:
All properly preserved

There are no analytical issues which affect the usability of the data.

DETAILED CASE NARRATIVE

METHOD SW846-6010 - ADDITIONAL DETAILS

Only As was requested and reported. A sample duplicate, ms and msd were performed on sample 09B04499. The sample duplicate is not reported due to non detect sample and duplicate results.

The results of analyses performed are based on samples as submitted to the laboratory and relate only to the items collected and tested.

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations. AIHA accreditations only apply to NIOSH methods and Environmental Lead Analyses.

| | | |
|---------------------------|---------------------------------|---------------------------------|
| AIHA 100033 | AIHA ELLAP (LEAD) 100033 | NORTH CAROLINA CERT. # 652 |
| MASSACHUSETTS MA0100 | NEW HAMPSHIRE NELAP 2516 | NEW JERSEY NELAP NJ MA007 (AIR) |
| CONNECTICUT PH-0567 | VERMONT DOH (LEAD) No. LL015036 | FLORIDA DOH E871027 (AIR) |
| NEW YORK ELAP/NELAP 10899 | RHODE ISLAND (LIC. No. 112) | |

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Tod Kopyscinski 2/24/09
SIGNATURE DATE

Tod Kopyscinski
Air Laboratory Manager

Michael Erickson
Assistant Laboratory Director

Edward Denson
Technical Director

Daren Damboragian
Organics Department Supervisor

* See end of data tabulation for notes and comments pertaining to this sample



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN
 TRC SOLUTIONS - LOWELL
 650 SUFFOLK STREET
 LOWELL, MA 01852

2/24/2009
 Page 1 of 9

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)
 Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23321
 Job Number: 115058

Field Sample # : POST-11 (1-3)

Sample ID : 09B04497 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 3.40 | 02/24/09 | KSH | 2.88 | | | |

Field Sample # : POST-1A (0-1)

Sample ID : 09B04485 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 126 | 02/24/09 | KSH | 2.80 | | | |

Field Sample # : POST-1A (1-3)

Sample ID : 09B04486 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 4.56 | 02/24/09 | KSH | 2.74 | | | |

Field Sample # : POST-1B (0-1)

Sample ID : 09B04489 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 13.3 | 02/24/09 | KSH | 2.78 | | | |

Field Sample # : POST-1B (1-3)

Sample ID : 09B04490 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 3.80 | 02/24/09 | KSH | 2.73 | | | |

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN
 TRC SOLUTIONS - LOWELL
 650 SUFFOLK STREET
 LOWELL, MA 01852

2/24/2009
 Page 2 of 9

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)
 Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23321
 Job Number: 115058

Field Sample # : POST-1C (0-1)

Sample ID : 09B04493 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 12.3 | 02/24/09 | KSH | 2.88 | | | |

Field Sample # : POST-1C (1-3)

Sample ID : 09B04494 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 4.38 | 02/24/09 | KSH | 2.80 | | | |

Field Sample # : POST-1D (0-1)

Sample ID : 09B04498 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 15.5 | 02/24/09 | KSH | 2.74 | | | |

Field Sample # : POST-1D (1-3)

Sample ID : 09B04499 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | ND | 02/24/09 | KSH | 2.72 | | | |

Field Sample # : POST-1E (0-1)

Sample ID : 09B04487 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 16.7 | 02/24/09 | KSH | 3.01 | | | |

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

2/24/2009
Page 3 of 9

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)
Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23321
Job Number: 115058

Field Sample # : POST-1E (1-3)

Sample ID : 09B04488 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 4.50 | 02/24/09 | KSH | 2.79 | | | |

Field Sample # : POST-1F (0-1)

Sample ID : 09B04491 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 15.4 | 02/24/09 | KSH | 3.02 | | | |

Field Sample # : POST-1F (1-3)

Sample ID : 09B04492 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 3.59 | 02/24/09 | KSH | 2.76 | | | |

Field Sample # : POST-1G (0-1)

Sample ID : 09B04495 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 17.4 | 02/24/09 | KSH | 2.88 | | | |

Field Sample # : POST-1G (1-3)

Sample ID : 09B04496 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit | | P/ F |
|---------|--------------|---------|---------------|---------|------|------------|----|------|
| | | | | | | Lo | Hi | |
| Arsenic | mg/kg dry wt | 4.03 | 02/24/09 | KSH | 2.88 | | | |

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

2/24/2009
Page 4 of 9

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)

LIMS-BAT #: LIMIT-23321

Date Received: 2/17/2009

Job Number: 115058

Field Sample #: POST-1H (0-1)

Sample ID: 09B04500

‡Sampled: 2/17/2009
Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------|--------------|---------|---------------|---------|------|---------------------|------|
| Arsenic | mg/kg dry wt | 42.6 | 02/24/09 | KSH | 3.04 | | |

Analytical Method:
SW846 3050/6010

SAMPLES ARE DIGESTED WITH NITRIC ACID AND THEN ANALYZED BY
INDUCTIVELY COUPLED PLASMA EMISSION SPECTROSCOPY.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



DAVID SULLIVAN
 TRC SOLUTIONS - LOWELL
 650 SUFFOLK STREET
 LOWELL, MA 01852

2/24/2009
 Page 5 of 9

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)
 Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23321
 Job Number: 115058

Field Sample # : POST-11 (1-3)

Sample ID : 09B04497 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 86.9 | 02/20/09 | FD | | | |

Field Sample # : POST-1A (0-1)

Sample ID : 09B04485 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 89.6 | 02/20/09 | FD | | | |

Field Sample # : POST-1A (1-3)

Sample ID : 09B04486 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 91.5 | 02/20/09 | FD | | | |

Field Sample # : POST-1B (0-1)

Sample ID : 09B04489 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 90.2 | 02/20/09 | FD | | | |

Field Sample # : POST-1B (1-3)

Sample ID : 09B04490 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 91.7 | 02/20/09 | FD | | | |

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN
 TRC SOLUTIONS - LOWELL
 650 SUFFOLK STREET
 LOWELL, MA 01852

2/24/2009
 Page 6 of 9

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)
 Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23321
 Job Number: 115058

Field Sample # : POST-1C (0-1)

Sample ID : 09B04493 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 87.0 | 02/20/09 | FD | | | |

Field Sample # : POST-1C (1-3)

Sample ID : 09B04494 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 89.5 | 02/20/09 | FD | | | |

Field Sample # : POST-1D (0-1)

Sample ID : 09B04498 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 91.5 | 02/20/09 | FD | | | |

Field Sample # : POST-1D (1-3)

Sample ID : 09B04499 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 92.1 | 02/20/09 | FD | | | |

Field Sample # : POST-1E (0-1)

Sample ID : 09B04487 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 83.3 | 02/20/09 | FD | | | |

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



DAVID SULLIVAN
 TRC SOLUTIONS - LOWELL
 650 SUFFOLK STREET
 LOWELL, MA 01852

2/24/2009
 Page 7 of 9

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)
 Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23321
 Job Number: 115058

Field Sample # : POST-1E (1-3)

Sample ID : 09B04488 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 89.8 | 02/20/09 | FD | | | |

Field Sample # : POST-1F (0-1)

Sample ID : 09B04491 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 83.0 | 02/20/09 | FD | | | |

Field Sample # : POST-1F (1-3)

Sample ID : 09B04492 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 90.8 | 02/20/09 | FD | | | |

Field Sample # : POST-1G (0-1)

Sample ID : 09B04495 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 87.0 | 02/20/09 | FD | | | |

Field Sample # : POST-1G (1-3)

Sample ID : 09B04496 ‡Sampled : 2/17/2009
 Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 87.1 | 02/20/09 | FD | | | |

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

2/24/2009
Page 8 of 9

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)

LIMS-BAT #: LIMIT-23321

Date Received: 2/17/2009

Job Number: 115058

Field Sample #: POST-1H (0-1)

Sample ID: 09B04500

‡Sampled: 2/17/2009
Not Specified

Sample Matrix: SOIL

| | Units | Results | Date Analyzed | Analyst | RL | SPEC Limit Lo Hi | P/ F |
|---------------|-------|---------|---------------|---------|----|---------------------|------|
| Solids, total | % | 82.4 | 02/20/09 | FD | | | |

Analytical Method:

SM 2540G

PERCENT OF SAMPLE REMAINING AFTER DRYING OVERNIGHT AT 103-105 DEGREES CENTIGRADE.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

2/24/2009
Page 9 of 9

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)
Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23321
Job Number: 115058

** END OF REPORT **

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/24/2009

Lims Bat # : LIMIT-23321

Page 1 of 2

QC Batch Number: ICP-21207

| Sample Id | Analysis | QC Analysis | Values | Units | Limits |
|---------------|----------|----------------------|--------|--------------|--------|
| 09B04499 | Arsenic | Sample Amount | <2.72 | mg/kg dry wt | |
| | | Duplicate Value | | mg/kg dry wt | |
| | | Sample Amount | <2.72 | mg/kg dry wt | |
| | | Matrix Spk Amt Added | 27.14 | mg/kg dry wt | |
| | | MS Amt Measured | 29.50 | mg/kg dry wt | |
| | | Matrix Spike % Rec. | 108.68 | % | 75-125 |
| | | MSD Amount Added | 27.14 | mg/kg dry wt | |
| | | MSD Amt Measured | 30.14 | mg/kg dry wt | |
| | | MSD % Recovery | 111.06 | % | 75-125 |
| | | MSD Range | 2.38 | units | |
| | | MS Duplicate RPD | 2.16 | % | 0-35 |
| BLANK-129872 | Arsenic | Blank | <2.50 | mg/kg dry wt | |
| LFBLANK-91998 | Arsenic | Lab Fort Blank Amt. | 123.00 | mg/kg dry wt | |
| | | Lab Fort Blk. Found | 123.24 | mg/kg dry wt | |
| | | Lab Fort Blk. % Rec. | 100.19 | % | 80-120 |
| | | Dup Lab Fort Bl Amt. | 123.00 | mg/kg dry wt | |
| | | Dup Lab Fort Bl. Fnd | 125.28 | mg/kg dry wt | |
| | | Dup Lab Fort Bl %Rec | 101.85 | % | 80-120 |
| | | Lab Fort Blank Range | 1.65 | units | |
| | | Lab Fort Bl. Av. Rec | 101.02 | % | |
| | | LFB Duplicate RPD | 1.64 | % | 0-30 |



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates BATCH QC: Lab fortified Blanks and Duplicates
Sample Matrix Spikes and Matrix Spike Duplicates Standard Reference Materials and Duplicates
Method Blanks

Report Date: 2/24/2009 Lims Bat #: LIMIT-23321 Page 2 of 2

QUALITY CONTROL DEFINITIONS AND ABBREVIATIONS

QC BATCH NUMBER This is the number assigned to all samples analyzed together that would be subject to comparison with a particular set of Quality Control Data.

LIMITS Upper and Lower Control Limits for the QC ANALYSIS Reported. All values normally would fall within these statistically determined limits, unless there is an unusual circumstance that would be documented in a NOTE appearing on the last page of the QC SUMMARY REPORT. Not all QC results will have Limits defined.

Sample Amount Amount of analyte found in a sample.

Blank Method Blank that has been taken though all the steps of the analysis.

LFBLANK Laboratory Fortified Blank (a control sample)

STDADD Standard Added (a laboratory control sample)

Matrix Spk Amt Added Amount of analyte spiked into a sample
MS Amt Measured Amount of analyte found including amount that was spiked
Matrix Spike % Rec. % Recovery of spiked amount in sample.

Duplicate Value The result from the Duplicate analysis of the sample.
Duplicate RPD The Relative Percent Difference between two Duplicate Analyses.

Surrogate Recovery The % Recovery for non-environmental compounds (surrogates) spiked into samples to determine the performance of the analytical methods.

Sur. Recovery (ELCD) Surrogate Recovery on the Electrolytic Conductivity Detector.
Sur. Recovery (PID) Surrogate Recovery on the Photoionization Detector.

Standard Measured Amount measured for a laboratory control sample
Standard Amt Added Known value for a laboratory control sample
Standard % Recovery % recovered for a laboratory control sample with a known value.

Lab Fort Blank Amt Laboratory Fortified Blank Amount Added
Lab Fort Blk. Found Laboratory Fortified Blank Amount Found
Lab Fort Blk % Rec Laboratory Fortified Blank % Recovered
Dup Lab Fort Bl Amt Duplicate Laboratory Fortified Blank Amount Added
Dup Lab Fort Bl Fnd Duplicate Laboratory Fortified Blank Amount Found
Dup Lab Fort Bl % Rec Duplicate Laboratory Fortified Blank % Recovery
Lab Fort Blank Range Laboratory Fortified Blank Range (Absolute value of difference between recoveries for Lab Fortified Blank and Lab Fortified Blank Duplicate).

Lab Fort Bl. Av. Rec. Laboratory Fortified Blank Average Recovery

Duplicate Sample Amt Sample Value for Duplicate used with Matrix Spike Duplicate
MSD Amount Added Matrix Spike Duplicate Amount Added (Spiked)
MSD Amt Measured Matrix Spike Duplicate Amount Measured
MSD % Recovery Matrix Spike Duplicate % Recovery
MSD Range Absolute difference between Matrix Spike and Matrix Spike Duplicate Recoveries

MADEP MCP ANALYTICAL METHOD REPORT CERTIFICATION FORM

| | |
|--|-----------------------------|
| Laboratory Name: CON-TEST Analytical Laboratory | Project #: <u>UMT-23321</u> |
| Project Location: <u>CITY OF NEW BEDFORD</u> | MADEP RTN ¹ : |

This Form provides certifications for the following data set: [list Laboratory Sample ID Number(s)]

69B04485 - 09B04500

Sample Matrices: Groundwater Soil/Sediment Drinking Water Other: _____

| | | | | | |
|--|-----------|-----------|----------|---|------------------------|
| MCP SW-846 Methods Used | 8260B () | 8151A () | 8330 () | 6010B <input checked="" type="checkbox"/> | 7470A/1A () |
| | 8270C () | 8081A () | VPH () | 6020 () | 9014M ² () |
| As specified in MADEP Compendium of Analytical Methods. (check all that apply) | 8082 () | 8021B () | EPH () | 7000 S ³ () | 7196A () |
| 1 List Release Tracking Number (RTN), if known 2 M – SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Method 3 S – SW-846 Methods 7000 Series List individual method and analyte. | | | | | |

An affirmative response to questions A, B, C and D is required for "Presumptive Certainty" status

| | | |
|----------|---|--|
| A | Were all samples received by the laboratory in a condition consistent with that described on the Chain-of-Custody documentation for the data set? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No ¹ |
| B | Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No ¹ |
| C | Does the data included in this report meet all the analytical requirements for "Presumptive Certainty", as described in Section 2.0 (a), (b), (c) and (d) of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No ¹ |
| D | <u>VPH and EPH Methods only:</u> Was the VPH or EPH Method conducted without significant modifications (see Section 11.3 of respective Methods) | <input type="checkbox"/> Yes <input type="checkbox"/> No ¹ |

A response to questions E and F below is required for "Presumptive Certainty" status

| | | |
|----------|--|--|
| E | Were all analytical QC performance standards and recommendations for the specified methods achieved? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No ¹ |
| F | Were results for all analyte-list compounds/elements for the specified method(s) reported? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹ |

¹All Negative responses must be addressed in an attached Environmental Laboratory case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.

| | |
|--------------------------------------|---|
| Signature: <u>Tod Kopyscinski</u> | Position: Director of Operations |
| Printed Name: Tod Kopyscinski | Date: <u>2-24-09</u> |



Phone: 413-525-2332
 Fax: 413-525-6405
 Email: info@conestlabs.com
 www.conestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
 EAST LONGMEADOW, MA 01028

Page 1 of 5

Company Name: TRC Environmental

Address: 650 Suffolk Street Lowell MA 01854

Attention: Dave Sullivan

Project Location: Wash Field, New Bedford

Sampled By: E. Wadwell and K. Ketchin

Proposal Provided? (For Billing purposes) yes no

State Form Required? yes no

Telephone: (118) 970-5200
 Project # 115058
 Client PO # Lim 93322

DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT
 Fax #: 978-453-1995
 Email: dsullivan@trc.solutions.com
 EXCEL PDF GIS KEY
 OTHER

| Field ID | Sample Description | Lab # | Start Date/Time | Stop Date/Time | Comp-site | Grab | Matrix Conc. Code | ANALYSIS REQUESTED | |
|----------|--------------------|-------|-----------------|----------------|-----------|------|---------------------|--------------------|---|
| | Post- 1A (0-1) | 04485 | 2/17/09 | 250 | X | | S | X | X |
| | Post- 1A (1-3) | 04486 | | 900 | X | | S | X | X |
| | Post- 1E (0-1) | 04487 | | 910 | X | | S | X | X |
| | Post- 1E (1-3) | 04488 | | 915 | X | | S | X | X |
| | Post- 1B (0-1) | 04489 | | 920 | X | | S | X | X |
| | Post- 1B (1-3) | 04490 | | 925 | X | | S | X | X |
| | Post- 1F (0-1) | 04491 | | 935 | X | | S | X | X |
| | Post- 1F (1-3) | 04492 | | 940 | X | | S | X | X |

Laboratory Comments: Hold all remaining aliquots for possible TCSP analysis

Retinquired by: (signature) [Signature] Date/Time: 2/17/09 1600

Received by: (signature) [Signature] Date/Time: 2/17/09 1600

Relinquished by: (signature) [Signature] Date/Time: 2/17/09 1818

Received by: (signature) [Signature] Date/Time: 2/17/09 1818

Turnaround **
 7-Day
 10-Day
 Other 5
 RUSH *

Detection Limit Requirements
 Regulations? MCP 5-1/5-2

Data Enhancement Project/RCP? Y N

Special Requirements or DL's: _____

*Matrix Code:
 GW = groundwater
 WW = wastewater
 DW = drinking water
 A = air
 S = soil/solid
 SL = sludge
 O = other

**Preservation Codes:
 I = Iced
 H = HCL
 M = Methanol
 N = Nitric Acid
 S = Sulfuric Acid
 B = Sodium bisulfate
 O = Other

Client Comments: * Please hold all samples for Lead analysis that are stored

TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT. AIHA, NELAP & WBE/DBE Certified



Phone: 413-625-2332
 Fax: 413-525-6405
 Email: info@contestlabs.com
 www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
 EAST LONGMEADOW, MA 01028

Company Name: TRC Environmental
 Address: 650 Suffolk Street
Lowell MA 01854

Attention: Dave Sullivan

Project Location: Marsh Field, New Bedford
 Sampled By: E. Munnell + K. Jarcha

Proposal Provided? (For Billing purposes)
 Yes No

State Form Required?
 Yes No

DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT
 Fax #: 978-453-1995
 Email: dsullivan@trcenv.com
 EXCEL PDF GIS KEY
 OTHER

Telephone: (978) 970-5200
 Project # 11058
 Client PO # _____

Lim 23321

| Field ID | Sample Description | Lab # | Start Date/Time | Stop Date/Time | Comp-oste | Grab | Matrix Code | Conc. Code | ANALYSIS REQUESTED | # of containers | Preservation | Cont. Code |
|----------|--------------------|-------|-----------------|----------------|-----------|------|-------------|------------|--------------------|-----------------|--------------|------------|
| | Post-1C (0-1) | 04493 | 2/17/09 | 955 | X | | S | | Arsenic | 9 | | |
| | Post-1C (1-3) | 04494 | | 1000 | X | | S | | Lead | 9 | | |
| | Post-1B (0-1) | 04495 | | 1005 | X | | S | | | | | |
| | Post-1B (1-3) | 04496 | | 1010 | X | | S | | | | | |
| | Post-1A (1-3) | 04497 | | 1100 | X | | S | | | | | |
| | Post-1D (0-1) | 04498 | | 1020 | X | | S | | | | | |
| | Post-1D (1-3) | 04499 | | 1025 | X | | S | | | | | |
| | Post-1H (0-1) | 04500 | | 1035 | X | | S | | | | | |

Laboratory Comments: Hold all remaining aliquots for possible future analysis

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:
 H - High; M - Medium; L - Low; C - Clean; U - Unknown

Refiniquished by: (signature) [Signature] Date/Time: 2/17/09 1600

Received by: (signature) [Signature] Date/Time: 2/17/09 1600

Reliniquished by: (signature) [Signature] Date/Time: 2-17-09 1818

Received by: (signature) [Signature] Date/Time: 2/17/09 1818

Turnaround **
 7-Day
 10-Day
 Other 5
 RUSH *

Detection Limit Requirements
 Regulations? MDE 5-15-2
 Data Enhancement Project/RCP? Y N
 Special Requirements or DL's: _____

**Matrix Code:
 GW = groundwater
 WW = wastewater
 DW = drinking water
 A = air
 S = soil/solid
 SL = sludge
 O = other

**Preservation Codes:
 I = Iced
 H = HCL
 M = Methanol
 N = Nitric Acid
 S = Sulfuric Acid
 B = Sodium bisulfate
 O = Other

Client: _____
 Comments: _____

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT. AIHA, NELAP & WBE/DBE Certified



Phone: 413-525-2332
 Fax: 413-525-6405
 Email: info@contestlabs.com
 www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
 EAST LONGMEADOW, MA 01028

Company Name: JRC Environmental
 Address: 650 Suffolk Street
Lewell, MA 01854

Attention: Dave Sullivan

Project Location: Wash Field, New Bedford

Sampled By: E. Wainard + K. Kitcho

Proposal Provided? (For Billing purposes) yes no

State Form Required? Yes No

Telephone: 978 940-5600

Project # 115058

Client PO # _____

DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT
 Fax #: 978-453-1995
 Email: dsullivan@resolutions.com
 Format: EXCEL PDF GIS KEY
 OTHER

| Field ID | Sample Description | Lab # | Start Date/Time | Stop Date/Time | Comp-site | Grab | Matrix Code | Conc. Code | Client Comments |
|----------|--------------------|-------|-----------------|----------------|-----------|------|-------------|------------|-----------------|
| | Post- 1H (1-3) | | 2/17/09 | 1040 | X | | S | | |
| | WFB2-A (0-1) | | | 1140 | X | | S | | |
| | WFB2-A (1-3) | | | 1145 | X | | S | | |
| | WFB2-E (0-1) | | | 1155 | X | | S | | |
| | WFB2-E (1-3) | | | 1200 | X | | S | | |
| | WFB2-B (0-1) | | | 1315 | X | | S | | |
| | WFB2-B (1-3) | | | 1320 | X | | S | | |
| | WFB2-22 (1-3) | | | 1420 | X | | S | | |

Laboratory Comments: Hold all remaining aliquots for possible TCLP analysis

Relinquished by (signature): [Signature] Date/Time: 2/17/09 1600

Received by (signature): [Signature] Date/Time: 2/17/09 1600

Relinquished by (signature): [Signature] Date/Time: 2/17/09 1818

Received by (signature): [Signature] Date/Time: 2/17/09 1818

Turnaround Time Starts at 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILED OFF CORRECTLY...

ANALYSIS REQUESTED

Arsenic
Lead

Turnaround **
 7-Day
 10-Day
 Other 5
 RUSH *
 *24-Hr *48-Hr
 *72-Hr *4-Day
 *Require lab approval

Detection Limit Requirements
 Regulations? MCP S-1/S-2

Data Enhancement Project/RCP? Y N

Special Requirements or DL's: _____

Matrix Code:
 GW = groundwater
 WW = wastewater
 DW = drinking water
 A = air
 S = soil/solid
 SL = sludge
 O = other

Preservation Codes:
 I = lead
 H = HCL
 M = Methanol
 N = Nitric Acid
 S = Sulfuric Acid
 B = Sodium bisulfate
 O = Other

Cont. Code:
 A = amber glass
 G = glass
 P = plastic
 ST = sterile
 V = vial
 S = summa can
 T = tedar bag
 O = Other

Please use the following codes to let Cont-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:
 H - High; M - Medium; L - Low; C - Clean; U - Unknown.



Phone: 413-525-2332
 Fax: 413-525-6405
 Email: info@contestlabs.com
 www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
 EAST LONGMEADOW, MA 01028

Company Name: TRC Environmental
 Address: 1050 Suffolk Street
Lowell MA 01854

Telephone: (978) 970-5600
 Project # 115058
 Client PO # _____

Attention: Dave Sullivan

Project Location: Walsh Field, New Bedford

Sampled By: E. Wentzel + K. Citta

Proposal Provided? (For Billing purposes)
 yes no

State Form Required?
 yes no

DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT
 Fax #: 978-453-1995
 Email: dsullivan@trcsolutions.com
 Format: EXCEL PDF GIS KEY
 OTHER

| Field ID | Sample Description | Lab # | Date Sampled | Stop Date/Time | Comp-site | Grab | *Matrix Code | Conc. Code |
|--------------|--------------------|-------|-----------------|--------------------|-----------|------|--------------|------------|
| | | | Start Date/Time | Stop Date/Time | | | | |
| WF82-F (0-1) | | | 2/17/09 | 1330 | X | | S | |
| WF82-F (1-3) | | | | 1335 | X | | S | |
| WF82-C (0-1) | | | | 1345 | X | | S | |
| WF82-C (1-3) | | | | 1350 | X | | S | |
| WF82-G (0-1) | | | | 1405 | X | | S | |
| WF82-G (1-3) | | | | 1400 | X | | S | |
| WF82-D (0-1) | | | | 1415 | X | | S | |
| WF82-D (1-3) | | | | 1425 ^{am} | X | | S | |

Laboratory Comments: Hold all remaining soil aliquots for possible TCLP analysis

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:

H - High; M - Medium; L - Low; C - Clean; U - Unknown

| Cont. Code | # of containers |
|------------|-----------------|
| I | 9 |
| G | 9 |
| G | 9 |

ANALYSIS REQUESTED

Arsenic
Lead

Cont. Code:
 A=amber glass
 G=glass
 P=plastic
 ST=sterile
 V=vial
 S=summary can
 T=teardrop bag
 O=Other

Client Comments:
lead

Relinquished by: (signature) _____ Date/Time: 2/17/09 1600
 Received by: (signature) _____ Date/Time: 2/17/09 1600
 Relinquished by: (signature) _____ Date/Time: 2/17/09 1818
 Received by: (signature) _____ Date/Time: 2/17/09 1818


Turnaround **
 7-Day
 10-Day
 Other 5
 RUSH*
 *24-Hr *48-Hr
 *72-Hr *4-Day
 *Require lab approval

Detection Limit Requirements
 Regulations? MCL 5-1/5-2
 Data Enhancement Project/RCP? Y N
 Special Requirements or DLs: _____

*Matrix Code:
 GW = groundwater
 WW = wastewater
 DW = drinking water
 A = air
 S = soil/solid
 SL = sludge
 O = other

**Preservation Codes:
 I = Iced
 H = HCL
 M = Methanol
 N = Nitric Acid
 S = Sulfuric Acid
 B = Sodium bisulfate
 O = Other

*** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS



Sample Receipt Checklist

CLIENT NAME: TRC - Low RECEIVED BY: CEC DATE: 8/17/09

- 1) Was the chain(s) of custody relinquished and signed? Yes No
- 2) Does the chain agree with the samples? Yes No
If not, explain:
- 3) Are all the samples in good condition? Yes No
If not, explain:

4) How were the samples received:
 On Ice Direct from Sampling Ambient In Cooler(s)
 Were the samples received in Temperature Compliance of (2-6°C)? Yes No
 Temperature °C by Temp blank 3.0°C Temperature °C by Temp gun _____

- 5) Are there Dissolved samples for the lab to filter? Yes No
Who was notified _____ Date _____ Time _____
- 6) Are there any samples "On Hold"? Yes No Stored where:
- 7) Are there any RUSH or SHORT HOLDING TIME samples? Yes No
Who was notified _____ Date _____ Time _____

8) Location where samples are stored: 14

Permission to subcontract samples? Yes No
(Walk-in clients only) if not already approved

Client Signature: _____

Containers sent in to Con-Test

| | # of containers | | # of containers |
|--------------------------------|-----------------|----------------------|-----------------|
| 1 Liter Amber | | 8 oz clear jar | 40 |
| 500 mL Amber | | 4 oz clear jar | |
| 250 mL Amber (8oz amber) | | 2 oz clear jar | |
| 1 Liter Plastic | | Other glass jar | |
| 500 mL Plastic | | Plastic Bag / Ziploc | |
| 250 mL plastic | | Air Cassette | |
| 40 mL Vial - type listed below | | Brass Sleeves | |
| Colisure / bacteria bottle | | Tubes | |
| Dissolved Oxygen bottle | | Summa Cans | |
| Flashpoint bottle | | Regulators | |
| Encore | | Other | |

Laboratory Comments: _____

40 mL vials: # HCl _____ # Methanol _____
 # Bisulfate _____ # DI Water _____ Time and Date Frozen: _____
 # Thiosulfate _____ Unpreserved _____

Do all samples have the proper pH: Yes No N/A