



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 2/24/2009

TRC SOLUTIONS - LOWELL  
 650 SUFFOLK STREET  
 LOWELL, MA 01852  
 ATTN: DAVID SULLIVAN

CONTRACT NUMBER:  
 PURCHASE ORDER NUMBER:

PROJECT NUMBER:

**ANALYTICAL SUMMARY**

LIMS BAT #: LIMIT-23322

JOB NUMBER: 115058

PROJECT LOCATION: CITY OF NEW BEDFORD (WALSH)

FIELD SAMPLE #	LAB ID	MATRIX	SAMPLE DESCRIPTION	TEST	Subcontract Lab (if any) Cert. Nos.
POST-1H (1-3)	09B04501	SOIL	Not Specified	as (mg/kg)dw icp	
POST-1H (1-3)	09B04501	SOIL	Not Specified	solids (percent)	
WFB2-22 (1-3)	09B04508	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-22 (1-3)	09B04508	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-22 (1-3)	09B04508	SOIL	Not Specified	solids (percent)	
WFB2-A (0-1)	09B04502	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-A (0-1)	09B04502	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-A (0-1)	09B04502	SOIL	Not Specified	solids (percent)	
WFB2-A (1-3)	09B04503	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-A (1-3)	09B04503	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-A (1-3)	09B04503	SOIL	Not Specified	solids (percent)	
WFB2-B (0-1)	09B04506	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-B (0-1)	09B04506	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-B (0-1)	09B04506	SOIL	Not Specified	solids (percent)	
WFB2-B (1-3)	09B04507	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-B (1-3)	09B04507	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-B (1-3)	09B04507	SOIL	Not Specified	solids (percent)	
WFB2-C (0-1)	09B04511	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-C (0-1)	09B04511	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-C (0-1)	09B04511	SOIL	Not Specified	solids (percent)	
WFB2-C (1-3)	09B04512	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-C (1-3)	09B04512	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-C (1-3)	09B04512	SOIL	Not Specified	solids (percent)	
WFB2-D (0-1)	09B04515	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-D (0-1)	09B04515	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-D (0-1)	09B04515	SOIL	Not Specified	solids (percent)	
WFB2-D (1-3)	09B04516	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-D (1-3)	09B04516	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-D (1-3)	09B04516	SOIL	Not Specified	solids (percent)	
WFB2-E (0-1)	09B04504	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-E (0-1)	09B04504	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-E (0-1)	09B04504	SOIL	Not Specified	solids (percent)	
WFB2-E (1-3)	09B04505	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-E (1-3)	09B04505	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-E (1-3)	09B04505	SOIL	Not Specified	solids (percent)	
WFB2-F (0-1)	09B04509	SOIL	Not Specified	as (mg/kg)dw icp	
WFB2-F (0-1)	09B04509	SOIL	Not Specified	pb (mg/kg)dw icp	
WFB2-F (0-1)	09B04509	SOIL	Not Specified	solids (percent)	
WFB2-F (1-3)	09B04510	SOIL	Not Specified	as (mg/kg)dw icp	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 2/24/2009

TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852  
ATTN: DAVID SULLIVAN

CONTRACT NUMBER:  
PURCHASE ORDER NUMBER:

PROJECT NUMBER:

**ANALYTICAL SUMMARY**

LIMS BAT #: LIMIT-23322

JOB NUMBER: 115058

WFB2-F (1-3)	09B04510	SOIL	Not Specified	pb (mg/kg)dw icp
WFB2-F (1-3)	09B04510	SOIL	Not Specified	solids (percent)
WFB2-G (0-1)	09B04513	SOIL	Not Specified	as (mg/kg)dw icp
WFB2-G (0-1)	09B04513	SOIL	Not Specified	pb (mg/kg)dw icp
WFB2-G (0-1)	09B04513	SOIL	Not Specified	solids (percent)
WFB2-G (1-3)	09B04514	SOIL	Not Specified	as (mg/kg)dw icp
WFB2-G (1-3)	09B04514	SOIL	Not Specified	pb (mg/kg)dw icp
WFB2-G (1-3)	09B04514	SOIL	Not Specified	solids (percent)



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 2/24/2009

TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852  
ATTN: DAVID SULLIVAN

CONTRACT NUMBER:  
PURCHASE ORDER NUMBER:

PROJECT NUMBER:

ANALYTICAL SUMMARY

LIMS BAT #: LIMIT-23322  
JOB NUMBER: 115058

Comments :

LIMS BATCH NO. : LIMIT-23322

CASE NARRATIVE SUMMARY

Recommended sample holding times were not exceeded for all samples unless listed below:  
None Exceeded

All samples for the method(s) listed were received preserved properly in the proper containers at 4°C +/- 2 degrees as specified on the chain-of-custody form unless listed below:  
All properly preserved

There are no (other) analytical issues which affect the usability of the data.

DETAILED CASE NARRATIVE

METHOD SW846-6010 - ADDITIONAL DETAILS

Only As and Pb elements were requested and reported. A sample duplicate and ms were performed on sample 09B04510. The sample duplicate is not reported for As due to non detect sample and duplicate results.

The results of analyses performed are based on samples as submitted to the laboratory and relate only to the items collected and tested.

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations. AIHA accreditations only apply to NIOSH methods and Environmental Lead Analyses.

AIHA 100033	AIHA ELLAP (LEAD) 100033	NORTH CAROLINA CERT. # 652
MASSACHUSETTS MA0100	NEW HAMPSHIRE NELAP 2516	NEW JERSEY NELAP NJ MA007 (AIR)
CONNECTICUT PH-0567	VERMONT DOH (LEAD) No. LL015036	FLORIDA DOH E871027 (AIR)
NEW YORK ELAP/NELAP 10899	RHODE ISLAND (LIC. No. 112)	

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

2/24/09

Tod Kopyscinski  
Air Laboratory Manager

Michael Erickson  
Assistant Laboratory Director

SIGNATURE

DATE

Edward Denson  
Technical Director

Daren Damboragian  
Organics Department Supervisor

\* See end of data tabulation for notes and comments pertaining to this sample



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN  
 TRC SOLUTIONS - LOWELL  
 650 SUFFOLK STREET  
 LOWELL, MA 01852

2/24/2009  
 Page 1 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)  
 Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23322  
 Job Number: 115058

**Field Sample # : POST-1H (1-3)**

**Sample ID : 09B04501** ‡Sampled : 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	ND	02/23/09	KSH	2.82		

**Field Sample # : WFB2-22 (1-3)**

**Sample ID : 09B04508** ‡Sampled : 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	4.22	02/23/09	KSH	2.86		

**Field Sample # : WFB2-A (0-1)**

**Sample ID : 09B04502** ‡Sampled : 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	144	02/23/09	KSH	3.00		

**Field Sample # : WFB2-A (1-3)**

**Sample ID : 09B04503** ‡Sampled : 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	46.0	02/23/09	KSH	2.82		

**Field Sample # : WFB2-B (0-1)**

**Sample ID : 09B04506** ‡Sampled : 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	62.7	02/23/09	KSH	2.96		

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN  
 TRC SOLUTIONS - LOWELL  
 650 SUFFOLK STREET  
 LOWELL, MA 01852

2/24/2009  
 Page 2 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)

LIMS-BAT #: LIMIT-23322

Date Received: 2/17/2009

Job Number: 115058

Field Sample #: WFB2-B (1-3)

Sample ID: 09B04507      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Arsenic	mg/kg dry wt	3.57	02/23/09	KSH	2.96			

Field Sample #: WFB2-C (0-1)

Sample ID: 09B04511      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Arsenic	mg/kg dry wt	66.5	02/23/09	KSH	2.97			

Field Sample #: WFB2-C (1-3)

Sample ID: 09B04512      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Arsenic	mg/kg dry wt	4.24	02/23/09	KSH	2.74			

Field Sample #: WFB2-D (0-1)

Sample ID: 09B04515      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Arsenic	mg/kg dry wt	4.15	02/23/09	KSH	2.96			

Field Sample #: WFB2-D (1-3)

Sample ID: 09B04516      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Arsenic	mg/kg dry wt	ND	02/23/09	KSH	2.68			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN  
 TRC SOLUTIONS - LOWELL  
 650 SUFFOLK STREET  
 LOWELL, MA 01852

2/24/2009  
 Page 3 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)

LIMS-BAT #: LIMIT-23322

Date Received: 2/17/2009

Job Number: 115058

Field Sample #: WFB2-E (0-1)

Sample ID: 09B04504      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Arsenic	mg/kg dry wt	112	02/23/09	KSH	3.02			

Field Sample #: WFB2-E (1-3)

Sample ID: 09B04505      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Arsenic	mg/kg dry wt	ND	02/23/09	KSH	2.75			

Field Sample #: WFB2-F (0-1)

Sample ID: 09B04509      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Arsenic	mg/kg dry wt	20.7	02/23/09	KSH	3.19			

Field Sample #: WFB2-F (1-3)

Sample ID: 09B04510      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Arsenic	mg/kg dry wt	ND	02/23/09	KSH	2.73			

Field Sample #: WFB2-G (0-1)

Sample ID: 09B04513      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Arsenic	mg/kg dry wt	47.0	02/23/09	KSH	3.11			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN  
TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852

2/24/2009  
Page 4 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)

LIMS-BAT #: LIMIT-23322

Date Received: 2/17/2009

Job Number: 115058

Field Sample #: WFB2-G (1-3)

Sample ID: 09B04514

‡Sampled: 2/17/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	6.12	02/23/09	KSH	2.78		

Analytical Method:

SW846 3050/6010

SAMPLES ARE DIGESTED WITH NITRIC ACID AND THEN ANALYZED BY  
INDUCTIVELY COUPLED PLASMA EMISSION SPECTROSCOPY.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN  
 TRC SOLUTIONS - LOWELL  
 650 SUFFOLK STREET  
 LOWELL, MA 01852

2/24/2009  
 Page 5 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)

LIMS-BAT #: LIMIT-23322

Date Received: 2/17/2009

Job Number: 115058

Field Sample #: WFB2-22 (1-3)

Sample ID: 09B04508      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	319	02/23/09	KSH	0.86			

Field Sample #: WFB2-A (0-1)

Sample ID: 09B04502      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	36.3	02/23/09	KSH	0.90			

Field Sample #: WFB2-A (1-3)

Sample ID: 09B04503      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	38.6	02/23/09	KSH	0.85			

Field Sample #: WFB2-B (0-1)

Sample ID: 09B04506      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	32.4	02/23/09	KSH	0.89			

Field Sample #: WFB2-B (1-3)

Sample ID: 09B04507      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	96.5	02/23/09	KSH	0.89			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



DAVID SULLIVAN  
 TRC SOLUTIONS - LOWELL  
 650 SUFFOLK STREET  
 LOWELL, MA 01852

2/24/2009  
 Page 6 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)

LIMS-BAT #: LIMIT-23322

Date Received: 2/17/2009

Job Number: 115058

Field Sample #: WFB2-C (0-1)

Sample ID: 09B04511      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	32.9	02/23/09	KSH	0.89			

Field Sample #: WFB2-C (1-3)

Sample ID: 09B04512      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	265	02/23/09	KSH	0.82			

Field Sample #: WFB2-D (0-1)

Sample ID: 09B04515      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	17.5	02/23/09	KSH	0.89			

Field Sample #: WFB2-D (1-3)

Sample ID: 09B04516      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	25.9	02/23/09	KSH	0.81			

Field Sample #: WFB2-E (0-1)

Sample ID: 09B04504      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	32.7	02/23/09	KSH	0.91			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN  
 TRC SOLUTIONS - LOWELL  
 650 SUFFOLK STREET  
 LOWELL, MA 01852

2/24/2009  
 Page 7 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)

LIMS-BAT #: LIMIT-23322

Date Received: 2/17/2009

Job Number: 115058

Field Sample #: WFB2-E (1-3)

Sample ID: 09B04505      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	41.4	02/23/09	KSH	0.83			

Field Sample #: WFB2-F (0-1)

Sample ID: 09B04509      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	32.9	02/23/09	KSH	0.96			

Field Sample #: WFB2-F (1-3)

Sample ID: 09B04510      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	20.3	02/23/09	KSH	0.82			

Field Sample #: WFB2-G (0-1)

Sample ID: 09B04513      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	44.4	02/23/09	KSH	0.94			

Field Sample #: WFB2-G (1-3)

Sample ID: 09B04514      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	96.7	02/23/09	KSH	0.84			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN  
TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852

2/24/2009  
Page 8 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)  
Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23322  
Job Number: 115058

Analytical Method:  
SW846 3050/6010

SAMPLES ARE DIGESTED WITH NITRIC ACID AND THEN ANALYZED BY  
INDUCTIVELY COUPLED PLASMA EMISSION SPECTROSCOPY.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or  
regulatory level for comparison with data to  
determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN  
 TRC SOLUTIONS - LOWELL  
 650 SUFFOLK STREET  
 LOWELL, MA 01852

2/24/2009  
 Page 9 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)  
 Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23322  
 Job Number: 115058

Field Sample #: POST-1H (1-3)

Sample ID: 09B04501 ±Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	88.7	02/20/09	FD			

Field Sample #: WFB2-22 (1-3)

Sample ID: 09B04508 ±Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	87.7	02/20/09	FD			

Field Sample #: WFB2-A (0-1)

Sample ID: 09B04502 ±Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	83.4	02/20/09	FD			

Field Sample #: WFB2-A (1-3)

Sample ID: 09B04503 ±Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	88.8	02/20/09	FD			

Field Sample #: WFB2-B (0-1)

Sample ID: 09B04506 ±Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	84.5	02/20/09	FD			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



DAVID SULLIVAN  
 TRC SOLUTIONS - LOWELL  
 650 SUFFOLK STREET  
 LOWELL, MA 01852

2/24/2009  
 Page 10 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)  
 Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23322  
 Job Number: 115058

**Field Sample # : WFB2-B (1-3)**

**Sample ID : 09B04507** ‡Sampled : 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	84.6	02/20/09	FD			

**Field Sample # : WFB2-C (0-1)**

**Sample ID : 09B04511** ‡Sampled : 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	84.3	02/20/09	FD			

**Field Sample # : WFB2-C (1-3)**

**Sample ID : 09B04512** ‡Sampled : 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	91.5	02/20/09	FD			

**Field Sample # : WFB2-D (0-1)**

**Sample ID : 09B04515** ‡Sampled : 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	84.5	02/20/09	FD			

**Field Sample # : WFB2-D (1-3)**

**Sample ID : 09B04516** ‡Sampled : 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	93.5	02/20/09	FD			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



DAVID SULLIVAN  
 TRC SOLUTIONS - LOWELL  
 650 SUFFOLK STREET  
 LOWELL, MA 01852

2/24/2009  
 Page 11 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)

LIMS-BAT #: LIMIT-23322

Date Received: 2/17/2009

Job Number: 115058

Field Sample #: WFB2-E (0-1)

Sample ID: 09B04504      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	82.9	02/20/09	FD			

Field Sample #: WFB2-E (1-3)

Sample ID: 09B04505      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	91.1	02/20/09	FD			

Field Sample #: WFB2-F (0-1)

Sample ID: 09B04509      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	78.5	02/20/09	FD			

Field Sample #: WFB2-F (1-3)

Sample ID: 09B04510      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	91.7	02/20/09	FD			

Field Sample #: WFB2-G (0-1)

Sample ID: 09B04513      ‡Sampled: 2/17/2009  
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	80.6	02/20/09	FD			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN  
TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852

2/24/2009  
Page 12 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)

LIMS-BAT #: LIMIT-23322

Date Received: 2/17/2009

Job Number: 115058

Field Sample #: WFB2-G (1-3)

Sample ID: 09B04514

‡Sampled: 2/17/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	90.0	02/20/09	FD			

Analytical Method:

SM 2540G

PERCENT OF SAMPLE REMAINING AFTER DRYING OVERNIGHT AT 103-105 DEGREES CENTIGRADE.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN  
TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852

2/24/2009  
Page 13 of 13

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD (WALSH)  
Date Received: 2/17/2009

LIMS-BAT #: LIMIT-23322  
Job Number: 115058

\*\* END OF REPORT \*\*

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

**QC SUMMARY REPORT**

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/24/2009

Lims Bat # : LIMIT-23322

Page 1 of 2

QC Batch Number: ICP-21210

Sample Id	Analysis	QC Analysis	Values	Units	Limits
09B04510	Arsenic	Sample Amount	<2.73	mg/kg dry wt	
		Matrix Spk Amt Added	27.26	mg/kg dry wt	
		MS Amt Measured	29.19	mg/kg dry wt	
		Matrix Spike % Rec.	107.10	%	75-125
	Lead	Sample Amount	20.32	mg/kg dry wt	
		Duplicate Value	18.46	mg/kg dry wt	
		Duplicate RPD	9.58	%	0-35
		Sample Amount	20.32	mg/kg dry wt	
		Matrix Spk Amt Added	27.26	mg/kg dry wt	
		MS Amt Measured	50.89	mg/kg dry wt	
		Matrix Spike % Rec.	112.14	%	75-125
BLANK-129840	Arsenic	Blank	<2.50	mg/kg dry wt	
	Lead	Blank	<0.75	mg/kg dry wt	
LFBLANK-91958	Arsenic	Lab Fort Blank Amt.	123.00	mg/kg dry wt	
		Lab Fort Blk. Found	126.75	mg/kg dry wt	
		Lab Fort Blk. % Rec.	103.04	%	80-120
		Dup Lab Fort Bl Amt.	123.00	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	119.70	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	97.31	%	80-120
		Lab Fort Blank Range	5.73	units	
		Lab Fort Bl. Av. Rec	100.18	%	
		LFB Duplicate RPD	5.72	%	0-30
	Lead	Lab Fort Blank Amt.	136.00	mg/kg dry wt	
		Lab Fort Blk. Found	142.81	mg/kg dry wt	
		Lab Fort Blk. % Rec.	105.00	%	82-118
		Dup Lab Fort Bl Amt.	136.00	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	128.91	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	94.79	%	82-118
		Lab Fort Blank Range	10.21	units	
		Lab Fort Bl. Av. Rec	99.90	%	
		LFB Duplicate RPD	10.22	%	0-30



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

### QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks


Report Date: 2/24/2009

Lims Bat #: LIMIT-23322

Page 2 of 2

### QUALITY CONTROL DEFINITIONS AND ABBREVIATIONS

QC BATCH NUMBER	This is the number assigned to all samples analyzed together that would be subject to comparison with a particular set of Quality Control Data.
LIMITS	Upper and Lower Control Limits for the QC ANALYSIS Reported. All values normally would fall within these statistically determined limits, unless there is an unusual circumstance that would be documented in a NOTE appearing on the last page of the QC SUMMARY REPORT. Not all QC results will have Limits defined.
Sample Amount	Amount of analyte found in a sample.
Blank	Method Blank that has been taken though all the steps of the analysis.
LFBLANK	Laboratory Fortified Blank (a control sample)
STDADD	Standard Added (a laboratory control sample)
Matrix Spk Amt Added	Amount of analyte spiked into a sample
MS Amt Measured	Amount of analyte found including amount that was spiked
Matrix Spike % Rec.	% Recovery of spiked amount in sample.
Duplicate Value	The result from the Duplicate analysis of the sample.
Duplicate RPD	The Relative Percent Difference between two Duplicate Analyses.
Surrogate Recovery	The % Recovery for non-environmental compounds (surrogates) spiked into samples to determine the performance of the analytical methods.
Sur. Recovery (ELCD)	Surrogate Recovery on the Electrolytic Conductivity Detector.
Sur. Recovery (PID)	Surrogate Recovery on the Photoionization Detector.
Standard Measured	Amount measured for a laboratory control sample
Standard Amt Added	Known value for a laboratory control sample
Standard % Recovery	% recovered for a laboratory control sample with a known value.
Lab Fort Blank Amt	Laboratory Fortified Blank Amount Added
Lab Fort Blk. Found	Laboratory Fortified Blank Amount Found
Lab Fort Blk % Rec	Laboratory Fortified Blank % Recovered
Dup Lab Fort Bl Amt	Duplicate Laboratory Fortified Blank Amount Added
Dup Lab Fort Bl Fnd	Duplicate Laboratory Fortified Blank Amount Found
Dup Lab Fort Bl % Rec	Duplicate Laboratory Fortified Blank % Recovery
Lab Fort Blank Range	Laboratory Fortified Blank Range (Absolute value of difference between recoveries for Lab Fortified Blank and Lab Fortified Blank Duplicate).
Lab Fort Bl. Av. Rec.	Laboratory Fortified Blank Average Recovery
Duplicate Sample Amt	Sample Value for Duplicate used with Matrix Spike Duplicate
MSD Amount Added	Matrix Spike Duplicate Amount Added (Spiked)
MSD Amt Measured	Matrix Spike Duplicate Amount Measured
MSD % Recovery	Matrix Spike Duplicate % Recovery
MSD Range	Absolute difference between Matrix Spike and Matrix Spike Duplicate Recoveries

Laboratory Name: <b>CON-TEST Analytical Laboratory</b>				Project #: <b>L1MT- 23322</b>	
Project Location: <b>City of New Bedford (Walsh)</b>				MADEP RTN <sup>1</sup> :	
This Form provides certifications for the following data set: [List Laboratory Sample ID Number(s)] <b>09B04501 - 09B04516</b>					
Sample Matrices: <input type="checkbox"/> Groundwater <input checked="" type="checkbox"/> Soil/Sediment <input type="checkbox"/> Drinking Water <input type="checkbox"/> Other: _____					
<b>MCP SW-846 Methods Used</b>	8260B ( )	8151A ( )	8330 ( )	6010B <input checked="" type="checkbox"/>	7470A/1A ( )
	8270C ( )	8081A ( )	VPH ( )	6020 ( )	9014M <sup>2</sup> ( )
As specified in MADEP Compendium of Analytical Methods. (check all that apply)	8082 ( )	8021B ( )	EPH ( )	7000 S <sup>3</sup> ( )	7196A ( )
	1 List Release Tracking Number (RTN), if known 2 M – SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Method 3 S – SW-846 Methods 7000 Series List individual method and analyte.				
<b>An affirmative response to questions A, B, C and D is required for "Presumptive Certainty" status</b>					
A	Were all samples received by the laboratory in a condition consistent with that described on the Chain-of-Custody documentation for the data set?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <sup>1</sup>
B	Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <sup>1</sup>
C	Does the data included in this report meet all the analytical requirements for "Presumptive Certainty", as described in Section 2.0 (a), (b), (c) and (d) of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <sup>1</sup>
D	<u>VPH and EPH Methods only</u> : Was the VPH or EPH Method conducted without significant modifications (see Section 11.3 of respective Methods)				<input type="checkbox"/> Yes <input type="checkbox"/> No <sup>1</sup>
<b>A response to questions E and F below is required for "Presumptive Certainty" status</b>					
E	Were all analytical QC performance standards and recommendations for the specified methods achieved?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <sup>1</sup>
F	Were results for all analyte-list compounds/elements for the specified method(s) reported?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <sup>1</sup>
<sup>1</sup> All Negative responses must be addressed in an attached Environmental Laboratory case narrative.					
<i>I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.</i>					
Signature: <u></u>			Position: Assistant Laboratory Director		
Printed Name: Michael Erickson			Date: <u>2/24/09</u>		



Phone: 413-525-2332  
 Fax: 413-525-6405  
 Email: info@contestlabs.com  
 www.contestlabs.com

**CHAIN OF CUSTODY RECORD**

39 SPRUCE ST, 2ND FLOOR  
 EAST LONGMEADOW, MA 01028

Company Name: JRC Environmental  
 Address: 650 Suffolk Street  
Lewiston, MA 01854  
 Attention: Dave Sullivan

Telephone: (978) 970-5600  
 Project # 115058  
 Client PO # \_\_\_\_\_

Project Location: Wash Field, New Bedford  
 Sampled By: D. Wainard + K. Kitson

DATA DELIVERY (check one):  
 FAX  EMAIL  WEBSITE CLIENT  
 Fax #: 413 928-4581 995  
 Email: dsullivan@jrcenv.com  
 Format:  EXCEL  PDF  GIS KEY

Proposal Provided? (For Billing purposes)  
 yes  no

State Form Required?  
 yes  no

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Comp-site	Grab	*Matrix Code	Conc. Code	Analysis Requested	Client
	Post-1H (1-3)	04501	2/17/09 1040	1140	X	X	S	S		
	WFB2-A (0-1)	04502		1140	X	X	S	S		
	WFB2-A (1-3)	04503		1145	X	X	S	S		
	WFB2-E (0-1)	04504		1155	X	X	S	S		
	WFB2-E (1-3)	04505		1200	X	X	S	S		
	WFB2-B (0-1)	04506		1315	X	X	S	S		
	WFB2-B (1-3)	04507		1320	X	X	S	S		
	WFB2-22 (1-3)	04508		1420	X	X	S	S		

Laboratory Comments: Hold all remaining aliquots for possible TCLP analysis

Reinquinshed by: (signature) [Signature] Date/Time: 2/17/09 1600

Received by: (signature) [Signature] Date/Time: 2/17/09 1600

Reinquinshed by: (signature) [Signature] Date/Time: 2/17/09 1818

Received by: (signature) [Signature] Date/Time: 2/17/09 1818

**Turnaround \*\***  
 7-Day  
 10-Day  
 Other 5  
 RUSH \*

**Detection Limit Requirements**  
 Regulations? MCE S-15-2

**\*Matrix Code:**  
 GW = groundwater  
 WW = wastewater  
 DW = drinking water  
 A = air  
 S = soil/solid  
 SL = sludge  
 O = other

**\*\*Preservation Codes:**  
 I = Iced  
 H = HCL  
 M = Methanol  
 N = Nitric Acid  
 S = Sulfuric Acid  
 B = Sodium bisulfate  
 O = Other

**\*Require lab approval**

**Special Requirements or DL's:** \_\_\_\_\_

**Matrix | Conc. Code**

**Analysis Requested:** Arsenic, Lead

**Client Comments:** hold this lead sample

**Turnaround Time Starts at 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.**





**con-test**  
ANALYTICAL LABORATORY

Phone: 413-525-2332  
Fax: 413-525-6405  
Email: info@contestlabs.com  
www.contestlabs.com

**CHAIN OF CUSTODY RECORD**

39 SPRUCE ST, 2ND FLOOR  
EAST LONGMEADOW, MA 01028

Company Name: TRC Environmental  
Address: 650 Suffolk Street  
Lowell MA 01854

Telephone: (978) 970-5200  
Project # 115058  
Client PO # \_\_\_\_\_

Attention: Dave Sullivan

Project Location: Marsh Field, New Bedford

Sampled By: E. Wachtel and K. Ketchin

DATA DELIVERY (check one):  
 FAX  REMAIL  WEBSITE CLIENT  
Fax #: 978-453-1995  
Email: dsullivan@trcsolutions.com  
Format:  EXCEL  PDF  GIS KEY

Proposal Provided? (For Billing purposes)  
 yes  no  
proposal date \_\_\_\_\_ State Form Required?  
 yes  no

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Stop Date/Time	Comp- osite	Grab	*Matrix   Code   Conc.	Arsenic	Lead	ANALYSIS REQUESTED	# of containers
	Post-1A (0-1)		2/17/09	850	X		S	X	X		**Preservation
	Post-1A (1-3)			900	X		S	X	X		
	Post-1E (0-1)			910	X		S	X	X		
	Post-1E (1-3)			915	X		S	X	X		
	Post-1B (0-1)			920	X		S	X	X		
	Post-1B (1-3)			925	X		S	X	X		
	Post-1F (0-1)			935	X		S	X	X		
	Post-1F (1-3)			940	X		S	X	X		

Laboratory Comments: Hold all remaining aliquots for possible TCLP analysis

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:  
H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by: (signature) \_\_\_\_\_ Date/Time: 2/17/09 1600  
Received by: (signature) \_\_\_\_\_ Date/Time: 2/17/09 1600  
Relinquished by: (signature) \_\_\_\_\_ Date/Time: 2/17/09 1818  
Received by: (signature) \_\_\_\_\_ Date/Time: 2/17/09 1818

Turnaround \*\*  
 7-Day  
 10-Day  
 Other 5  
RUSH \*  
 \*24-Hr  \*48-Hr  
 \*72-Hr  \*4-Day  
\* Require lab approval

Detection Limit Requirements  
Regulations? MCP 5-1/5-2  
Data Enhancement Project/RCP?  Y  N  
Special Requirements or DLS: \_\_\_\_\_

\*Matrix Code:  
GW = groundwater  
WW = wastewater  
DW = drinking water  
A = air  
S = soil/solid  
SL = sludge  
O = other

\*\*Preservation Codes:  
I = iced  
H = HCl  
M = Methanol  
N = Nitric Acid  
S = Sulfuric Acid  
B = Sodium bisulfate  
O = Other

Client Comments:  
\* Please hold out samples for Lead analysis that are stored



Phone: 413-525-2332  
 Fax: 413-525-6405  
 Email: info@contestlabs.com  
 www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR  
 EAST LONGMEADOW, MA 01028

Company Name: TRC Environmental  
 Address: 650 Suffolk Street  
Lowell MA 01854

Attention: Dave Sullivan

Project Location: Walsh Field, New Bedford

Sampled By: E. Walsh + K. Clark

Proposal Provided? (For Billing purposes)  
 yes  no

State Form Required?  
 yes  no

Telephone: (978) 970-5200  
 Project # 110058  
 Client PO # \_\_\_\_\_

DATA DELIVERY (check one):  
 FAX  EMAIL  WEBSITE CLIENT  
 Fax #: 978-453-1995  
 Email: dsullivan@trcenv.com  
 Format:  EXCEL  PDF  GIS KEY  
 OTHER

Field ID	Sample Description	Lab #	Date Sampled	Start Date/Time	Stop Date/Time	Comp-site	Grab	*Matrix Code	Conc. Code
	Post-1C (0-1)		2/17/09	955	1000	X		S	
	Post-1C(1-3)				1000	X		S	
	Post-1G(1-1)				1005	X		S	
	Post-1G(1-3)				1010	X		S	
	Post-1G(1-3)				1100	X		S	
	Post-1D(0-1)				1020	X		S	
	Post-1D(1-3)				1035	X		S	
	Post-1H(0-1)				1035	X		S	

Laboratory Comments: Hold all remaining aliquots for possibly TUE analysis

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:

Arsenic  
Lead

ANALYSIS REQUESTED	# of containers
I	
G	
C	

Cont. Code:  
 A=amber glass  
 G=glass  
 P=plastic  
 ST=sterile  
 V=vial  
 S=summary can  
 T=teal bag  
 O=Other

Client: \_\_\_\_\_  
 Comments: \_\_\_\_\_

Relinquished by: (signature) \_\_\_\_\_  
 Date/Time: 2/17/09 1600  
 Received by: (signature) \_\_\_\_\_  
 Date/Time: 2/17/09 1600  
 Relinquished by: (signature) \_\_\_\_\_  
 Date/Time: 2-17-09 1818  
 Received by: (signature) \_\_\_\_\_  
 Date/Time: 2/17/09 1815

Turnaround \*\*  
 7-Day  
 10-Day  
 Other RUSH  
 \*24-Hr  \*48-Hr  
 \*72-Hr  \*4-Day  
 \* Require lab approval

Detection Limit Requirements  
MSP S-1/S-2  
 Regulations? \_\_\_\_\_  
 Data Enhancement Project/RCP?  Y  N  
 Special Requirements or DLs: \_\_\_\_\_

\*Matrix Code:  
 GW = groundwater  
 WW = wastewater  
 DW = drinking water  
 A = air  
 S = soil/solid  
 SL = sludge  
 O = other

\*\*Preservation Codes:  
 I = Iod  
 H = HCL  
 M = Methanol  
 N = Nitric Acid  
 S = Sulfuric Acid  
 B = Sodium bisulfate  
 O = Other

TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY V GRIS



Phone: 413-525-2332  
 Fax: 413-525-6405  
 Email: info@contestlabs.com  
 www.contestlabs.com

**CHAIN OF CUSTODY RECORD**

39 SPRUCE ST, 2ND FLOOR  
 EAST LONGMEADOW, MA 01028

Company Name: TRC Environmental  
 Address: 650 Suffolk Street  
Lowell, MA 01854

Telephone: (978) 970-5200  
 Project # 115058  
 Client PO # \_\_\_\_\_

Attention: Dave Sullivan

Project Location: Walsh Field, New Bedford

Sampled By: E. Wachtel + K. Ketchin

Proposal Provided? (For Billing purposes)  
 Yes  No

State Form Required?  
 Yes  No

DATA DELIVERY (check one):  
 FAX  EMAIL  WEBSITE CLIENT  
 Fax #: 978-453-1995  
 Email: dsullivan@trcsolutions.com  
 Format:  EXCEL  PDF  GIS KEY  
 OTHER

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Step Date/Time	Comp- osite	Grab	*Matrix Code	Conc. Code
WFB2-H (0-1)			2/17/09 1430		X		S	X
WFB2-H (1-3)				1435	X		S	X
WFC2-A (0-1)				1530	X		S	X
WFC2-A (1-3)				1535	X		S	X
WFC2-E (0-1)				1545	X		S	X
WFC2-E (1-3)				1550	X		S	X

Laboratory Comments: Hold all remaining aliquots for possible TELP

Relinquished by: (signature) [Signature] Date/Time: 2/17/09 1600  
 Received by: (signature) [Signature] Date/Time: 2/17/09 1600  
 Relinquished by: (signature) [Signature] Date/Time: 2/17/09 1818  
 Received by: (signature) [Signature] Date/Time: 2/17/09 1818

Turnaround \*\*  
 7-Day  
 10-Day  
 Other 5  
 RUSH \*  
 \*24-Hr  \*48-Hr  
 \*72-Hr  \*4-Day  
 \* Require lab approval

Detection Limit Requirements  
 Regulations? MCL 5-1/3-2  
 Data Enhancement Project/RCP?  Y  N  
 Special Requirements or DLS: \_\_\_\_\_

H - High; M - Medium; L - Low; C - Clean; U - Unknown  
 \*Matrix Code:  
 GW = groundwater  
 WW = wastewater  
 DW = drinking water  
 A = air  
 S = soil/solid  
 SL = sludge  
 O = other

\*\*Preservation Codes:  
 I = Iced  
 H = HCL  
 M = Methanol  
 N = Nitric Acid  
 S = Sulfuric Acid  
 B = Sodium bisulfate  
 O = Other

\*\* TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS

Client Comments:

Arsenic  
 Lead

ANALYSIS REQUESTED

# of containers  
 \*\*Preservation  
 -Cont. Code



### Sample Receipt Checklist

CLIENT NAME: TRC - Low RECEIVED BY: CEC DATE: 2/17/09

- 1) Was the chain(s) of custody relinquished and signed? Yes  No
- 2) Does the chain agree with the samples? Yes  No   
If not, explain:
- 3) Are all the samples in good condition? Yes  No   
If not, explain:

4) How were the samples received:  
 On Ice  Direct from Sampling  Ambient  In Cooler(s)   
 Were the samples received in Temperature Compliance of (2-6°C)? Yes  No   
 Temperature °C by Temp blank 3.0°C Temperature °C by Temp gun \_\_\_\_\_

- 5) Are there Dissolved samples for the lab to filter? Yes  No   
Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_
- 6) Are there any samples "On Hold"? Yes  No  Stored where:
- 7) Are there any RUSH or SHORT HOLDING TIME samples? Yes  No   
Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

8) Location where samples are stored: 14

Permission to subcontract samples? Yes No  
 (Walk-in clients only) if not already approved  
 Client Signature: \_\_\_\_\_

### Containers sent in to Con-Test

	# of containers		# of containers
1 Liter Amber		8 oz clear jar	40
500 mL Amber		4 oz clear jar	
250 mL Amber (8oz amber)		2 oz clear jar	
1 Liter Plastic		Other glass jar	
500 mL Plastic		Plastic Bag / Ziploc	
250 mL plastic		Air Cassette	
40 mL Vial - type listed below		Brass Sleeves	
Colisure / bacteria bottle		Tubes	
Dissolved Oxygen bottle		Summa Cans	
Flashpoint bottle		Regulators	
Encore		Other	

Laboratory Comments: \_\_\_\_\_

40 mL vials: # HCl \_\_\_\_\_ # Methanol \_\_\_\_\_  
 # Bisulfate \_\_\_\_\_ # DI Water \_\_\_\_\_ Time and Date Frozen: \_\_\_\_\_  
 # Thiosulfate \_\_\_\_\_ Unpreserved \_\_\_\_\_

Do all samples have the proper pH: Yes No N/A