con-test® ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 3/13/2009

TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852
ATTN: DAVE SULLIVAN

CONTRACT NUMBER:
PURCHASE ORDER NUMBER:

PROJECT NUMBER:

ANALYTICAL SUMMARY

LIMS BAT #: LIMT-23788
JOB NUMBER: 115058

PROJECT LOCATION: NEW BEDFORD

FIELD SAMPLE #	LAB ID	MATRIX	SAMPLE DESCRIPTION	TEST	Subcontract Lab (if any) Cert. Nos.
POST-1A 0-1	09B07009	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-1A 0-1	09B07009	SOIL	Not Specified	solids (percent)	
POST-1A 1-3	09B07010	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-1A 1-3	09B07010	SOIL	Not Specified	solids (percent)	
POST-1B 0-1	09B07011	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-1B 0-1	09B07011	SOIL	Not Specified	solids (percent)	
POST-1B 1-3	09B07012	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-1B 1-3	09B07012	SOIL	Not Specified	solids (percent)	
POST-1C 0-1	09B07013	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-1C 0-1	09B07013	SOIL	Not Specified	solids (percent)	
POST-1C 1-3	09B07014	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-1C 1-3	09B07014	SOIL	Not Specified	solids (percent)	
POST-1D 0-1	09B07015	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-1D 0-1	09B07015	SOIL	Not Specified	solids (percent)	
POST-1D 1-3	09B07016	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-1D 1-3	09B07016	SOIL	Not Specified	solids (percent)	
POST-1H 0-1	09B07017	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-1H 0-1	09B07017	SOIL	Not Specified	solids (percent)	
POST-1H 1-3	09B07018	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-1H 1-3	09B07018	SOIL	Not Specified	solids (percent)	
POST-2B 0-1	09B07023	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-2B 0-1	09B07023	SOIL	Not Specified	solids (percent)	
POST-2B 1-3	09B07024	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-2B 1-3	09B07024	SOIL	Not Specified	solids (percent)	
POST-2C 0-1	09B07054	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-2C 0-1	09B07054	SOIL	Not Specified	solids (percent)	
POST-2C 1-3	09B07055	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-2C 1-3	09B07055	SOIL	Not Specified	solids (percent)	
POST-2E 0-1	09B07019	SOIL	Not Specified	as (mg/kg)dw icp	
POST-2E 0-1	09B07019	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-2E 0-1	09B07019	SOIL	Not Specified	solids (percent)	
POST-2E 1-3	09B07020	SOIL	Not Specified	as (mg/kg)dw icp	
POST-2E 1-3	09B07020	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-2E 1-3	09B07020	SOIL	Not Specified	solids (percent)	
POST-2H 0-1	09B07021	SOIL	Not Specified	as (mg/kg)dw icp	
POST-2H 0-1	09B07021	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-2H 0-1	09B07021	SOIL	Not Specified	solids (percent)	
POST-2H 1-3	09B07022	SOIL	Not Specified	as (mg/kg)dw icp	
POST-2H 1-3	09B07022	SOIL	Not Specified	pb (mg/kg)dw icp	

con-test®
ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 3/13/2009

TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852
ATTN: DAVE SULLIVAN

CONTRACT NUMBER:
PURCHASE ORDER NUMBER:

PROJECT NUMBER:

ANALYTICAL SUMMARY

LIMS BAT #: LIMT-23788
JOB NUMBER: 115058

POST-2H 1-3	09B07022	SOIL	Not Specified	solids (percent)

Comments :

LIMS BATCH NO. : LIMT-23788

CASE NARRATIVE SUMMARY

Recommended sample holding times were not exceeded for all samples analyzed by method(s) listed unless listed below: None Exceeded

All samples for the method(s) listed were received preserved properly in the proper containers at 4 degrees C +/- 2 degrees as specified on the chain-of-custody form unless listed below:
All properly preserved

In method 6010, duplicate RPD is outside control limits for Pb. Outlier may be attributed to sample non-homogeneity encountered during sample prep. Reduced precision is anticipated for reported result.

There are no other issues which affect the usability of the data.

DETAILED CASE NARRATIVE

METHOD SW846-6010 - ADDITIONAL COMMENTS

Sample duplicate, matrix spike, and matrix spike duplicate performed on SOIL sample 09B07016.

Only Pb was requested for samples 09B07009 to 09B07024, 09B07054, and 09B07055. As was also requested and reported for samples 09B07019 to 09B07022.

The results of analyses performed are based on samples as submitted to the laboratory and relate only to the items collected and tested.

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations. AIHA accreditations only apply to NIOSH methods and Environmental Lead Analyses.

AIHA 100033	AIHA ELLAP (LEAD) 100033	NORTH CAROLINA CERT. # 652
MASSACHUSETTS MA0100	NEW HAMPSHIRE NELAP 2516	NEW JERSEY NELAP NJ MA007 (AIR)
CONNECTICUT PH-0567	VERMONT DOH (LEAD) No. LL015036	FLORIDA DOH E871027 (AIR)
NEW YORK ELAP/NELAP 10899	RHODE ISLAND (LIC. No. 112)	

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

M Erickson 3/13/09

SIGNATURE DATE

Tod Kopyscinski
Air Laboratory Manager

Michael Erickson
Assistant Laboratory Director

Edward Denson
Technical Director

Daren Damboragian
Organics Department Supervisor

* See end of data tabulation for notes and comments pertaining to this sample

con-test® ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVE SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

3/13/2009

Purchase Order No.:

Project Location: NEW BEDFORD
Date Received: 3/9/2009

LIMS-BAT #: LIMT-23788
Job Number: 115058

Field Sample # : POST-2E 0-1

Sample ID : 09B07019 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Arsenic	mg/kg dry wt	ND	03/12/09	OP	2.94			

Field Sample # : POST-2E 1-3

Sample ID : 09B07020 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Arsenic	mg/kg dry wt	29.2	03/12/09	OP	2.91			

Field Sample # : POST-2H 0-1

Sample ID : 09B07021 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Arsenic	mg/kg dry wt	20.1	03/12/09	OP	3.00			

Field Sample # : POST-2H 1-3

Sample ID : 09B07022 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Arsenic	mg/kg dry wt	ND	03/12/09	OP	2.93			

Analytical Method:
SW846 3050/6010
SAMPLES ARE DIGESTED WITH NITRIC ACID AND THEN ANALYZED BY INDUCTIVELY COUPLED PLASMA EMISSION SPECTROSCOPY.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

con-test® ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVE SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

Purchase Order No.:

3/13/2009

Project Location: NEW BEDFORD
Date Received: 3/9/2009

LIMS-BAT #: LIMT-23788
Job Number: 115058

Field Sample # : POST-1A 0-1

Sample ID : 09B07009 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	17.5	03/12/09	OP	0.91			

Field Sample # : POST-1A 1-3

Sample ID : 09B07010 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	48.6	03/12/09	OP	0.83			

Field Sample # : POST-1B 0-1

Sample ID : 09B07011 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	47.0	03/12/09	OP	0.93			

Field Sample # : POST-1B 1-3

Sample ID : 09B07012 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	26.7	03/12/09	OP	0.86			

Field Sample # : POST-1C 0-1

Sample ID : 09B07013 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	29.2	03/12/09	OP	0.90			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

con-test ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVE SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

Purchase Order No.:

3/13/2009

Project Location: NEW BEDFORD
Date Received: 3/9/2009

LIMS-BAT #: LIMT-23788
Job Number: 115058

Field Sample # : POST-1C 1-3

Sample ID : 09B07014 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	58.0	03/12/09	OP	0.84			

Field Sample # : POST-1D 0-1

Sample ID : 09B07015 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	45.5	03/12/09	OP	0.88			

Field Sample # : POST-1D 1-3

Sample ID : 09B07016 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	25.2	03/12/09	OP	0.84			

Field Sample # : POST-1H 0-1

Sample ID : 09B07017 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	39.4	03/12/09	OP	0.93			

Field Sample # : POST-1H 1-3

Sample ID : 09B07018 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	34.8	03/12/09	OP	0.83			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

con-test ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVE SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

Purchase Order No.:

3/13/2009

Project Location: NEW BEDFORD
Date Received: 3/9/2009

LIMS-BAT #: LIMT-23788
Job Number: 115058

Field Sample # : POST-2B 0-1

Sample ID : 09B07023 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	36.7	03/12/09	OP	0.93			

Field Sample # : POST-2B 1-3

Sample ID : 09B07024 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	95.5	03/12/09	OP	0.89			

Field Sample # : POST-2C 0-1

Sample ID : 09B07054 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	32.5	03/12/09	OP	0.97			

Field Sample # : POST-2C 1-3

Sample ID : 09B07055 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	116	03/12/09	OP	0.87			

Field Sample # : POST-2E 0-1

Sample ID : 09B07019 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	12.4	03/12/09	OP	0.88			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

con-test® ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVE SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

3/13/2009

Purchase Order No.:

Project Location: NEW BEDFORD
Date Received: 3/9/2009

LIMS-BAT #: LIMT-23788
Job Number: 115058

Field Sample # : POST-2E 1-3

Sample ID : 09B07020 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	27.6	03/12/09	OP	0.88			

Field Sample # : POST-2H 0-1

Sample ID : 09B07021 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	28.5	03/12/09	OP	0.90			

Field Sample # : POST-2H 1-3

Sample ID : 09B07022 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Lead	mg/kg dry wt	71.3	03/12/09	OP	0.88			

Analytical Method:
SW846 3050/6010
SAMPLES ARE DIGESTED WITH NITRIC ACID AND THEN ANALYZED BY INDUCTIVELY COUPLED PLASMA EMISSION SPECTROSCOPY.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

con-test ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVE SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

Purchase Order No.:

3/13/2009

Project Location: NEW BEDFORD
Date Received: 3/9/2009

LIMS-BAT #: LIMT-23788
Job Number: 115058

Field Sample # : POST-1A 0-1

Sample ID : 09B07009 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	82.7	03/12/09	FD				

Field Sample # : POST-1A 1-3

Sample ID : 09B07010 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	90.4	03/12/09	FD				

Field Sample # : POST-1B 0-1

Sample ID : 09B07011 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	81.3	03/12/09	FD				

Field Sample # : POST-1B 1-3

Sample ID : 09B07012 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	87.8	03/12/09	FD				

Field Sample # : POST-1C 0-1

Sample ID : 09B07013 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	83.8	03/12/09	FD				

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

con-test ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVE SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

Purchase Order No.:

3/13/2009

Project Location: NEW BEDFORD
Date Received: 3/9/2009

LIMS-BAT #: LIMT-23788
Job Number: 115058

Field Sample # : POST-1C 1-3

Sample ID : 09B07014 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	89.8	03/12/09	FD				

Field Sample # : POST-1D 0-1

Sample ID : 09B07015 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	85.4	03/12/09	FD				

Field Sample # : POST-1D 1-3

Sample ID : 09B07016 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	90.2	03/12/09	FD				

Field Sample # : POST-1H 0-1

Sample ID : 09B07017 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	80.8	03/12/09	FD				

Field Sample # : POST-1H 1-3

Sample ID : 09B07018 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	90.8	03/12/09	FD				

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

con-test® ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVE SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

Purchase Order No.:

3/13/2009

Project Location: NEW BEDFORD
Date Received: 3/9/2009

LIMS-BAT #: LIMT-23788
Job Number: 115058

Field Sample # : POST-2B 0-1

Sample ID : 09B07023 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	81.5	03/12/09	FD				

Field Sample # : POST-2B 1-3

Sample ID : 09B07024 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	84.7	03/12/09	FD				

Field Sample # : POST-2C 0-1

Sample ID : 09B07054 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	78.0	03/12/09	FD				

Field Sample # : POST-2C 1-3

Sample ID : 09B07055 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	86.4	03/12/09	FD				

Field Sample # : POST-2E 0-1

Sample ID : 09B07019 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	85.3	03/12/09	FD				

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

con-test® ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVE SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

3/13/2009

Purchase Order No.:

Project Location: NEW BEDFORD
Date Received: 3/9/2009

LIMS-BAT #: LIMT-23788
Job Number: 115058

Field Sample # : POST-2E 1-3

Sample ID : 09B07020 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	86.2	03/12/09	FD				

Field Sample # : POST-2H 0-1

Sample ID : 09B07021 ‡Sampled : 2/17/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	83.6	03/12/09	FD				

Field Sample # : POST-2H 1-3

Sample ID : 09B07022 ‡Sampled : 2/24/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo	SPEC Limit Hi	P/ F
Solids, total	%	85.4	03/12/09	FD				

Analytical Method:
SM 2540G
PERCENT OF SAMPLE REMAINING AFTER DRYING OVERNIGHT AT 103-105 DEGREES CENTIGRADE.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

con-test® ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVE SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

3/13/2009

Purchase Order No.:

Project Location: NEW BEDFORD
Date Received: 3/9/2009

LIMS-BAT #: LIMT-23788
Job Number: 115058

** END OF REPORT **

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

con-test® ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates
Sample Matrix Spikes and Matrix Spike Duplicates

BATCH QC: Lab fortified Blanks and Duplicates
Standard Reference Materials and Duplicates
Method Blanks

Report Date: 3/13/2009 Lims Bat # : LIMT-23788

QC Batch Number: ICP-21349

Sample Id	Analysis	QC Analysis	Values	Units	Limits
09B07016					
	Lead	Sample Amount	25.17	mg/kg dry wt	
		Duplicate Value	36.30	mg/kg dry wt	
		Duplicate RPD	36.21	%	0-35
		Sample Amount	25.17	mg/kg dry wt	
		Matrix Spk Amt Added	27.71	mg/kg dry wt	
		MS Amt Measured	49.85	mg/kg dry wt	
		Matrix Spike % Rec.	89.02	%	75-125
		MSD Amount Added	27.71	mg/kg dry wt	
		MSD Amt Measured	49.26	mg/kg dry wt	
		MSD % Recovery	86.92	%	75-125
		MSD Range	2.09	units	
		MS Duplicate RPD	1.17	%	0-35
BLANK-130577					
	Arsenic	Blank	<2.50	mg/kg dry wt	
	Lead	Blank	<0.75	mg/kg dry wt	
LFBLANK-92769					
	Arsenic	Lab Fort Blank Amt.	123.00	mg/kg dry wt	
		Lab Fort Blk. Found	131.72	mg/kg dry wt	
		Lab Fort Blk. % Rec.	107.09	%	80-120
		Dup Lab Fort Bl Amt.	123.00	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	132.63	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	107.82	%	80-120
		Lab Fort Blank Range	0.73	units	
		Lab Fort Bl. Av. Rec	107.46	%	
		LFB Duplicate RPD	0.68	%	0-30
	Lead	Lab Fort Blank Amt.	136.00	mg/kg dry wt	
		Lab Fort Blk. Found	131.96	mg/kg dry wt	
		Lab Fort Blk. % Rec.	97.02	%	82-118
		Dup Lab Fort Bl Amt.	136.00	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	135.59	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	99.69	%	82-118
		Lab Fort Blank Range	2.66	units	
		Lab Fort Bl. Av. Rec	98.36	%	
		LFB Duplicate RPD	2.71	%	0-30

con-test ANALYTICAL LABORATORY

39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates
Sample Matrix Spikes and Matrix Spike Duplicates

BATCH QC: Lab fortified Blanks and Duplicates
Standard Reference Materials and Duplicates
Method Blanks

QUALITY CONTROL DEFINITIONS AND ABBREVIATIONS

QC BATCH NUMBER	This is the number assigned to all samples analyzed together that would be subject to comparison with a particular set of Quality Control Data.
LIMITS	Upper and Lower Control Limits for the QC ANALYSIS Reported. All values normally would fall within these statistically determined limits, unless there is an unusual circumstance that would be documented in a NOTE appearing on the last page of the QC SUMMARY REPORT. Not all QC results will have Limits defined.
Sample Amount	Amount of analyte found in a sample.
Blank	Method Blank that has been taken though all the steps of the analysis.
LFBLANK	Laboratory Fortified Blank (a control sample)
STDADD	Standard Added (a laboratory control sample)
Matrix Spk Amt Added	Amount of analyte spiked into a sample
MS Amt Measured	Amount of analyte found including amount that was spiked
Matrix Spike % Rec.	% Recovery of spiked amount in sample.
Duplicate Value	The result from the Duplicate analysis of the sample.
Duplicate RPD	The Relative Percent Difference between two Duplicate Analyses.
Surrogate Recovery	The % Recovery for non-environmental compounds (surrogates) spiked into samples to determine the performance of the analytical methods.
Sur. Recovery (ELCD)	Surrogate Recovery on the Electrolytic Conductivity Detector.
Sur. Recovery (PID)	Surrogate Recovery on the Photoionization Detector.
Standard Measured	Amount measured for a laboratory control sample
Standard Amt Added	Known value for a laboratory control sample
Standard % Recovery	% recovered for a laboratory control sample with a known value.
Lab Fort Blank Amt	Laboratory Fortified Blank Amount Added
Lab Fort Blk. Found	Laboratory Fortified Blank Amount Found
Lab Fort Blk % Rec	Laboratory Fortified Blank % Recovered
Dup Lab Fort Bl Amt	Duplicate Laboratory Fortified Blank Amount Added
Dup Lab Fort Bl Fnd	Duplicate Laboratory Fortified Blank Amount Found
Dup Lab Fort Bl % Rec	Duplicate Laboratory Fortified Blank % Recovery
Lab Fort Blank Range	Laboratory Fortified Blank Range (Absolute value of difference between recoveries for Lab Fortified Blank and Lab Fortified Blank Duplicate).
Lab Fort Bl. Av. Rec.	Laboratory Fortified Blank Average Recovery
Duplicate Sample Amt	Sample Value for Duplicate used with Matrix Spike Duplicate
MSD Amount Added	Matrix Spike Duplicate Amount Added (Spiked)
MSD Amt Measured	Matrix Spike Duplicate Amount Measured
MSD % Recovery	Matrix Spike Duplicate % Recovery
MSD Range	Absolute difference between Matrix Spike and Matrix Spike Duplicate Recoveries

MADEP MCP ANALYTICAL METHOD REPORT CERTIFICATION FORM

Laboratory Name: **CON-TEST Analytical Laboratory**	Project #: LIMT-23788
Project Location: New Bedford	MADEP RTN[1]:

This Form provides certifications for the following data set: [list Laboratory Sample ID Number(s)]

09B07009- 09B07055

Sample Matrices: ☐ Groundwater ☒ Soil/Sediment ☐ Drinking Water ☐ Other: _____

MCP SW-846 Methods Used	8260B ( )	8151A ( )	8330 ( )	6010B (X)	7470A/1A ( )
	8270C ( )	8081A ( )	VPH ( )	6020 ( )	9014M [2] ( )
As specified in MADEP Compendium of Analytical Methods. (check all that apply)	8082 ( )	8021B ( )	EPH ( )	7000 S[3] ( )	7196A ( )

1 List Release Tracking Number (RTN), if known
2 M – SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Method
3 S – SW-846 Methods 7000 Series List individual method and analyte.

An affirmative response to questions A, B, C and D is required for "Presumptive Certainty" status

A	Were all samples received by the laboratory in a condition consistent with that described on the Chain-of-Custody documentation for the data set?	☒ Yes ☐ No[1]
B	Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines?	☒ Yes ☐ No[1]
C	Does the data included in this report meet all the analytical requirements for "Presumptive Certainty", as described in Section 2.0 (a), (b), (c) and (d) of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?	☒ Yes ☐ No[1]
D	***VPH and EPH Methods only***: Was the VPH or EPH Method conducted without significant modifications (see Section 11.3 of respective Methods)	☐ Yes ☐ No [1]

A response to questions E and F below is required for "Presumptive Certainty" status

E	Were all analytical QC performance standards and recommendations for the specified methods achieved?	☐ Yes ☒ No[1]
F	Were results for all analyte-list compounds/elements for the specified method(s) reported?	☐ Yes ☒ No[1]

[1] *All Negative responses must be addressed in an attached Environmental Laboratory case narrative.*

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.

Signature: MM Erick	**Position: Assistant Laboratory Director**
Printed Name: Michael Erickson	**Date:** 3/13/09

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

Limt-23788

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC Environmental
Address: 650 Suffolk Street, Lowell MA 01854
Attention: Dave Sullivan
Project Location: Walsh Field, New Bedford
Sampled By: E. Wachtel and K. Kitchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #: 978-453-1995
Email: dsullivan@trcsolutions.com
Format: ☒ EXCEL ☐ PDF ☐ GIS KEY ☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date

State Form Required? ☒ yes ☐ no

Field ID	Sample Description	Lab # 09B	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Arsenic	Lead		Lead											# of containers / **Preservation / ~Cont.Code
									G	G													
									I	I													
									8	8													
	Post-1A (0-1')	07009	2/17/09	850	X		S		X	X	*	✓											
	Post-1A (1-3')	07010		900	X		S		X	X	*	✓											
	Post-1E (0-1)			910	X		S		X	X	*												
	Post-1E (1-3)			915	X		S		X	X	*												
	Post-1B (0-1)	07011		920	X		S		X	X	*	✓											
	Post-1B (1-3)	07012		925	X		S		X	X	*	✓											
	Post-1F (0-1)			935	X		S		X	X	*												
	Post-1F (1-3)			940	X		S		X	X	*												

ANALYSIS REQUESTED

~Cont. Code: A=amber glass, G=glass, P=plastic, ST=sterile, V=vial, S=summa can, T=tedlar bag, O=Other

Client Comments: * Please hold all samples for Lead analysis that are starred

Laboratory Comments: Hold all remaining aliquotes for possible TCLP analysis

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by: (signature)	Date/Time: 2/17/09 1600	
Received by: (signature)	Date/Time: 2/17/9 1600	
Relinquished by: (signature)	Date/Time: 2/17/9 1818	
Received by: (signature) 3.0°	Date/Time: 2/17/09 1818	

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S-1/S-2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

MED

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT BEGIN UNTIL

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

Limt-23788

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC Environmental
Address: 650 Suffolk Street
Lowell MA 01854
Attention: Dave Sullivan
Project Location: Walsh Field, New Bedford
Sampled By: E. Waenteil + K. Ratchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #: 978-453-1995
Email: dsullivan@trcsolutions.com
Format: ☒ EXCEL ☐ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab # 09B	Date Sampled Start Date/~~Time~~	~~Stop~~ Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Arsenic	Lead		Lead											
									~~8~~	~~8~~													# of containers
									I	I													**Preservation
									G	G													~Cont. Code
	Post-1C (0-1)	07013	2/17/09	955	X		S		X	X	*	✓											
	Post-1C (1-3)	07014		1000	X		S		X	X	*	✓											
	Post-1G (0-1)			1005	X		S		X	X	*												
	Post-1G (1-3)			1010	X		S		X	X	*												
	Post-~~8~~11 (1-3)			1100	X		S		X	X	*												
	Post-1D (0-1)	07015		1020	X		S		X	X	*												
	Post-1D (1-3)	07016		1025	X		S		X	X	*	* ms/msD taken here for Arsenic + Lead											
	Post-1H (0-1)	07017		1035	X		S		X	X	*	✓											

~Cont. Code: A=amber glass, G=glass, P=plastic, ST=sterile, V=vial, S=summa can, T=tedlar bag, O=Other

Client Comments:

Laboratory Comments:
Hold all remaining aliquotes for possibly TCLP analysis

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 2/17/09 1600	
Received by: (signature)	Date/Time: 2-17-9 1600	
Relinquished by: (signature)	Date/Time: 2-17-9 1818	
Received by: (signature) 3.0°	Date/Time: 2/17/09 1818	

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S-1/S-2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
X = Na hydroxide
H = HCL
T = Na thiosulfate
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT BE ...

2

Limt-23788

CHAIN OF CUSTODY RECORD

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com
39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

~~Limt-23522~~

Company Name: TKC Environmental
Address: 650 Suffolk Street, Lowell, MA 01854
Attention: Dave Sullivan
Project Location: Walsh Field, New Bedford
Sampled By: C. Wachtel + K. Kitchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #: ~~dt~~ 978-453-1995
Email: dsullivan@trcsolutions.com
Format: ☒ EXCEL ☐ PDF ☐ GIS KEY ☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date
State Form Required? ☒ yes ☐ no

Field ID	Sample Description	Lab # 09B	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Arsenic	Lead	Lead									# of containers	**Preservation	~Cont.Code
									8	8												
									I	I												
									G	G												
	Post-1H (1-3)	~~04501~~ 09018	2/17/09	1040	X		S		X	X			hold this lead sample									
	WFB2-A (0-1)	~~04502~~		1140	X		S		X	X												
	WFB2-A (1-3)	~~04503~~		1145	X		S		X	X												
	WFB2-E (0-1)	~~04504~~		1155	X		S		X	X												
	WFB2-E (1-3)	~~04505~~		1200	X		S		X	X												
	WFB2-B (0-1)	~~04506~~		1315	X		S		X	X												
	WFB2-B (1-3)	~~04507~~		1320	X		S		X	X												
	WFB2-22 (1-3)	~~04508~~		1420	X		S		X	X												

ML 2/10

ANALYSIS REQUESTED

~Cont. Code: A=amber glass, G=glass, P=plastic, ST=sterile, V=vial, S=summa can, T=tedlar bag, O=Other

Client Comments:

Laboratory Comments: Hold all remaining aliquots for possible TCLP analysis

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by: (signature)	Date/Time: 2/17/09 1600	
Received by: (signature)	Date/Time: 2-17-9 1600	
Relinquished by: (signature)	Date/Time: 2-17-9 1818	
Received by: (signature)	Date/Time: 2/17/09 1818	

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S-1/S-2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

Limt-23788

CHAIN OF CUSTODY RECORD

Limt # 23512

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com
39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St. Lowell, MA. 01854
Attention: Dave Sullivan
Project Location: New Bedford, Walsh field
Sampled By: H. Lizza + K. Kitchen

Telephone: (978) 970-5600
Project # 115258
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #:
Email: DSullivan@TRCSolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY ☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab # 098	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Arsenic	Lead (HOLD)	Arsenic + Lead	Lead									# of containers	**Preservation	~Cont.Code
									8	7													
									I	I													
									G	G													
	POST-2A (0-1) MK 3/10	~~05592~~	2/24/09	0910		X	S	U	X	X													
	POST-2A (1-3) MK 3/10	~~05593~~		0915		X	S	U	X	X													
	POST-2E (0-1) HOLD	07019		0930		X	S	U	X	X	✓					(HOLD)							
	POST-2E (1-3) HOLD	07020		0935		X	S	U	X	X	✓					(HOLD)							
	POST-2B (0-1) MK 3/10	~~05594~~ 07023		0945		X	S	U	X	X		✓											
	POST-2B (1-3) MK 3/10	~~05595~~ 07024		0950		X	S	U	X	X		✓											
	POST-2F (0-1) HOLD			0955		X	S	U	X	X						(HOLD)							
	POST-2F (1-3) HOLD		✓	1000		X	S	U	X	X						(HOLD)							

Client Comments: 26B U

Laboratory Comments:
Hold all remaining aliquots of soil for possible TCLP analysis pending results.

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 2/24/09 1630
Received by: (signature)	Date/Time: 2-24-9 1630
Relinquished by: (signature)	Date/Time: 2-24-9 1845
Received by: (signature)	Date/Time: 2/24/09 1845

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 day
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1/S2
Data Enhancement Project/RCP? ☐ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

Lmt-23788

CHAIN OF CUSTODY RECORD

~~Lmt # 23512~~

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com
39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St. Lowell Ma. 01854
Attention: Dave Sullivan
Project Location: New Bedford Walsh Field
Sampled By: H. Lizza + K. Kitchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax # :
Email: DSullivan@TRCsolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY ☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab # 09D	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Arsenic	Lead (HOLD)	Arsenic + Lead	Lead									# of containers	**Preservation	~Cont.Code
									9														
									I	I													
									G	G													
	POST-2I (1-3) MC 3/10	~~05596~~	2/24/09	1120		X	S		X	X													
	POST-2C (0-1) MC 3/10	~~05597~~ 07054		1015		X	S		X	X		✓											
	POST-2C (1-3) MC 3/10	~~05598~~ 07055		1020		X	S		X	X		✓											
	POST-2G (0-1) HOLD			1050		X	S		X	X					(HOLD)								
	POST-2G (1-3) HOLD			1035		X	S		X	X					(HOLD)								
	POST-2D (0-1) MC 3/10	~~05599~~		1050		X	S		X	X													
	POST-2D (1-3) + ms/msD MC 3/10	~~05600~~		~~1055~~ 1055		X	S		X	X													
	POST-2H (0-1) Hold	07021	✓	1125		X	S		X	X	✓				(HOLD)								

~Cont. Code: A=amber glass, G=glass, P=plastic, ST=sterile, V=vial, S=summa can, T=tedlar bag, O=Other

Client Comments: 2CB

Laboratory Comments:
Hold all remaining aliquots of soil for possible TCLP analysis pending results.

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time:
[signature]	2/24/09 1630
Received by: (signature) [signature]	Date/Time: 2-24-9 1630
Relinquished by: (signature) [signature]	Date/Time: 224-9 1845
Received by: (signature) [signature]	Date/Time: 2/24/09 1845

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 Day
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1/S2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St
Lowell MA 01854
Attention: Dave Sullivan
Project Location: New Bedford Walsh Field
Sampled By: Bob Kalin, Charlie Sasian

Telephone: (978) 970 5600
Project # 115 058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #:
Email: DSullivan@TRC Solutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☒ yes Unknown proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Iced	Iced		Lead	Cadmium + Lead							# of containers / **Preservation / ~Cont.Code
									I	I										
									G	G										
	SB-233 E (0-1)		2-20-09	1335		X	S		X	X	S									
	SB-233 E (1-3)		2-20-09	1346		X	S		X	X	S	On	Hold							
	SB-233 H (0-1)		2-20-09	1355		X	S		X	X	S	✓	On	Hold						
	SB-233 H (1-3)		2-20-09	1400		X	S		X	X	S	✓								
	SB-233 D (0-1)		2-20-09	1415		X	S		X	X										Dup/MS Sample
	SB-233 D (1-3)		2-20-09	1420		X	S		X	X										
	SB-233 F (0-1)		2-20-09	1455		X	S		X	X	S	✓	On	Hold						
	SB-233 F (1-3)		2-20-09	1500		X	S		X	X	S	✓								

Client Comments: 18c

Laboratory Comments: Hold All aliquot of Soil for possible TCLP analysis

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

~Cont. Code:
A=amber glass
G=glass
P=plastic
ST=sterile
V= vial
S=summa can
T=tedlar bag
O=Other

Relinquished by: (signature)	Date/Time: 02/20/09 1600
Received by: (signature)	Date/Time: 02-20-09 1605
Relinquished by: (signature)	Date/Time: 2-20-09 1820
Received by: (signature) 9°C Temp 8°C	Date/Time: 2/20/09 18:20

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 day

RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1, S2
Data Enhancement Project/RCP? ☐ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

6

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St
Lowell MA 01854
Attention: Dave Sullivan
Project Location: New Bedford Walsh Street
Sampled By: Paul Parlin, Charles Fate

Telephone: (978) 970 5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☐ EMAIL ☐ WEBSITE CLIENT
Fax # :
Email: DSullivan@TRCsolutions
Format: ☐ EXCEL ☐ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes)
☐ yes Unknown proposal date

State Form Required?
☐ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Lead	Cadmium	Cadmium + Lead	# of containers	**Preservation	~Cont.Code
	SB-233 - C(0-1)		2-20-09	1135		X	S		X	X		1	I	C
	SB-233 C(1-3)		2-20-09	1140		X	S		X	X		1	I	C
	SB-233 C (0-1)		2-20-09	1150		X	S		X	X				
	SB-233 C 1-3		2-20-09	1155		X	S		X	X				
	SB-233 (0-1)		2-20-09	1050		X	S		X	X				
	SB-233 A(0-1)		2-20-09	1210		X	S		X	X				
	SB-233 A (1-3)		2-20-09	1215		X	S		X	X				

Client Comments: On hold

Laboratory Comments: Hold all aliquots of soil for possible TCLP analysis

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

~Cont. Code:
A=amber glass
G=glass
P=plastic
ST=sterile
V= vial
S=summa can
T=tedlar bag
O=Other

18C

Relinquished by: (signature)	Date/Time: 02/20/09 1600
Received by: (signature)	Date/Time: 2-20-09 1605
Relinquished by: (signature)	Date/Time: 2-20-09 1820
Received by: (signature) Temp 4°C	Date/Time: 2/20/09 18:20

Turnaround **
☐ 7-Day
☐ 10-Day
☐ Other 5 DW

RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1, S2
Data Enhancement Project/RCP? ☐ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

7

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St
Lowell MA 01854
Attention: Dave Sullivan
Project Location: New Bedford, Walsh Field
Sampled By: Bob Podin, Charlie Foster

Telephone: (978) 970 5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #:
Email: DSullivan@TRCSolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☒ yes Unknown proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Lead	Cadmium	Cadmium + Lead	Lead	# of containers	**Preservation	~Cont.Code	Client Comments:
	WFA10-A (0-1)		2-20-09	840		X	S		X	X						
	WFA10-A (1-3)			845		X	S		X	X						
	WFA10-E (0-1)			900		X	S		X	X						HOLD
	WFA10-E (1-3)			905		X	S		X	X						HOLD
	WFA10-B (0-1)			920		X	S		X	V						
	WFA10-B (1-3)			925		X	S		X	X						18C
	WFA10-G (0-1)			935		X	S		X	X						HOLD
	WFA10-G (1-3)			940		X	S		X	X						HOLD

~Cont. Code: A=amber glass, G=glass, P=plastic, ST=sterile, V=vial, S=summa can, T=tedlar bag, O=Other

Laboratory Comments: Hold all remaining aliquots of soil for possible TCLP analysis

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

18C

COPY

Relinquished by: (signature)	Date/Time: 02/20/09 1600
Received by: (signature)	Date/Time: 2-20-09 1605
Relinquished by: (signature)	Date/Time: 2-20-09 1820
Received by: (signature) Temp 4°C	Date/Time: 2/20/09 1820

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 day

RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1, S2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

AD
8

**TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St
Lowell MA 01854
Attention: Dave Sullivan
Project Location: New Bedford Walsh Field
Sampled By: Bob Poulin, Charlie Foster

Telephone: (978) 970 5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #:
Email: DSullivan@TRCsolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☒ yes Unknown proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Lead	Lead (Cadmium)	Lead	# of containers	**Preservation	~Cont.Code
	WFA10-H (0-1)		2-20-09	955		X	S		X	X		1	I	G
	WFA10-H (1-3)		2-20-09	1000		X	S		X	X		1	I	G
	WFA10-D (0-1)		2-20-09	1015		X	S		X	X		1	I	G
	WFA10-D (1-3)		2-20-09	1020		X	S		X	X		1	I	G
	WFA10-B (0-1)		2-20-09	1035		X	S		X	X		1	I	G
	WFA10-B (1-3)		2-20-09	1040		X	S		X	X		1	I	G
	WFA10-F (0-1)		2-20-09	1055		X	S		X	X		1	I	G
	WFA10-F (1-3)		2-20-09	1100		X	S		X	X		1	I	G

Soil Hold

~~Soil Hold~~ BP

Soil Hold

~Cont. Code:
A=amber glass
G=glass
P=plastic
ST=sterile
V=vial
S=summa can
T=tedlar bag
O=Other

Client Comments:
HOLD
DUP/MS2 for
18C
HOLD
HOLD

Laboratory Comments: Hold all remaining aliquots of soil for possible TCLP analysis

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 02/20/09 1600
Received by: (signature)	Date/Time: 2-20-09 1605
Relinquished by: (signature)	Date/Time: 2-20-09 1820
Received by: (signature) Temp 4°C	Date/Time: 2/20/09 18:20

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other Soil
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1, S2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
X = Na hydroxide
H = HCL
T = Na thiosulfate
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St.
Lowell MA 01854
Attention: Dave Sullivan
Project Location: New Bedford, Walsh field
Sampled By: H. Rizza + K. Kitchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax # :
Email: DSullivan@TRCSolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☒ yes Unknown proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

~Cont. Code: A=amber glass, G=glass, P=plastic, ST=sterile, V=vial, S=summa can, T=tedlar bag, O=Other

Field ID	Sample Description	Lab #	Date Sampled Start Date/~~Time~~	~~Stop~~ Date/Time	Comp-osite	Grab	*Matrix Code	Conc. Code	Lead (G)	Lead (I)	# of containers / **Preservation / ~Cont.Code	Client Comments
	WFA11-E (0-1)		2/19/09	0940		X	S		X	✓ HOLD		
	WFA11-E (1-3)			0945		X	S		X	✓ HOLD		
	WFA11-A (0-1)			0950		X	S		X			
	WFA11-A (1-3)			0955		X	S		X			
	WFA11-C (0-1)			1005		X	S		X			
	WFA11-C (1-3)			1010		X	S		X			
	WFA11-G (0-1)			1025		X	S		X	✓ HOLD		
	WFA11-G (1-3)		2/19/09	1030		X	S		X	✓ HOLD		

160

Laboratory Comments:
Hold all remaining aliquots of soil for possible TCLP Analysis.

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 2/19/09 1613	
Received by: (signature)	Date/Time: 2-19-09 1613	
Relinquished by: (signature)	Date/Time: 2-19-09 1840	
Received by: (signature) 3.0°C	Date/Time: 2/19/09 1840	

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 Day

RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1 S2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

10

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St. Lowell Ma. 01854
Attention: Dave Sullivan
Project Location: New Bedford, Walsh field
Sampled By: H. Lizza + K. Kitchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax # :
Email: dsullivan@trcsolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date
State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab #	Date Sampled Start Date/~~Time~~	~~Stop Date~~/Time	Composite	Grab	*Matrix Code	Conc. Code	Lead	Lead		# of containers	**Preservation	~Cont.Code
									1	1		1		G
	WFA11-H (0-1)		2/19/09	1055		X	S		X	✓	HOLD			
	WFA11-H (1-3)			1100		X	S		X	✓	HOLD			
	WFA11-D (0-1)			1110		X	S		X					
	WFA11-D (1-3)			1115		X	S		X					
	WFA11-I (1-3)			1215		X	S		X					
	WFA11-B (0-1)			1135		X	S		X					
	WFA11-B (1-3) *MS/MSD			1140		X	S		X					
	WFA11-F (0-3)		2/19/09	1155		X	S		X	✓	HOLD			

~Cont. Code:
A=amber glass
G=glass
P=plastic
ST=sterile
V= vial
S=summa can
T=tedlar bag
O=Other

Client Comments: 18D

Laboratory Comments: see pg 1

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 2/19/09 1613	
Received by: (signature)	Date/Time: 2-19-09 1613	
Relinquished by: (signature)	Date/Time: 2-19-09 1840	
Received by: (signature)	Date/Time: 2/19/09 1840	

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 Day
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? S-1/S-2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St. Lowell Ma. 01854
Attention: Dave Sullivan
Project Location: New Bedford, Walsh field
Sampled By: H. Rizza & K. Kitchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #:
Email: DSullivan@TRCSolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab #	Date Sampled Start Date/~~Time~~	~~Stop Date~~/Time	Comp-osite	Grab	*Matrix Code	Conc. Code	Lead	Lead										# of containers	**Preservation	~Cont.Code
									89											1		G
	WFB11-F (1-3)		2/19/09	1435		X	S		X	✓HOLD												
	WFB11-E (0-1)			1455		X	S		X	✓HOLD												
	WFB11-E (1-3)			1500		X	S		X	✓HOLD												
	WFB11-A (0-1)			1505		X	S		X													
	WFB11-A (1-3) + MS/MSD			1510		X	S		X													
	WFB11-J (1-3)			1610		X	S		X													
	WFB11-C (0-1)			1520		X	S		X													
	WFB11-C (1-3)		2/19/09	1525		X	S		X													

Client Comments: 180

Laboratory Comments: See pg 1

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 2/19/09	1613
Received by: (signature)	Date/Time: 2/19/09	1613
Relinquished by: (signature)	Date/Time: 2/19/09	1840
Received by: (signature) 3.0c	Date/Time: 2/19/09	1840

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 Day
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1/S2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St
Lowell MA 08854
Attention: Dave Sullivan
Project Location: New Bedford, Nalsh field
Sampled By: H. Lizza + K Kitchin

Telephone: (978) 970-5600
Project # 165058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax # :
Email: DSullivan@TRCSolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	8	1	6	# of containers	**Preservation	~Cont.Code
	WFA11-F (1-3)		2/19/09	1200	~~X~~	X	S		X	✓	HOLD			
	WFB11-H (0-1)			1340	~~X~~	X	S		X	✓	HOLD			
	WFB11-H (1-3)			1345	~~X~~	X	S		X	✓	HOLD			
	WFB11-D (0-1)			1355	~~X~~	X	S		X					
	WFB11-D (1-3)			1400	~~X~~	X	S		X					
	WFB11-B (0-1)			1415	~~X~~	X	S		X					
	WFB11-B (1-3)		✓	1420	~~X~~	X	S		X					
	WFB11-F (0-1)		2/19/09	1430	~~X~~	X	S		X	✓	HOLD			

~Cont. Code:
A=amber glass
G=glass
P=plastic
ST=sterile
V= vial
S=summa can
T=tedlar bag
O=Other

Client Comments: 18b

Laboratory Comments: See pg 1

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

	Date/Time
Relinquished by: (signature)	2/19/09 1613
Received by: (signature)	2-19-09 1613
Relinquished by: (signature)	2-19-09 1840
Received by: (signature) 3.0°	2/19/09 1840

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 7 Day

RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1/S2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

ADD 13

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St.
Lowell MA 01854
Attention: Dave Sullivan
Project Location: New Bedford, Walsh field
Sampled By: H. Rizza + K. Kitchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☒ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax # :
Email: DSullivan@TRCSolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes)
☐ yes _____ proposal date

State Form Required?
☒ yes ☐ no

Field ID	Sample Description	Lab #	Date Sampled Start Date/~~Time~~	~~Stop Date~~/Time	Comp-osite	Grab	*Matrix Code	Conc. Code	2 Lead	1 Lead	6										# of containers / **Preservation / ~Cont.Code
	WFB11-G (0-1)		2/19/09	1530		X	S		X	✓ HOLD											
	WFB11-G (1-3)		↓	1535		X	S		X	✓ HOLD											

ANALYSIS REQUESTED

~Cont. Code:
A=amber glass
G=glass
P=plastic
ST=sterile
V= vial
S=summa can
T=tedlar bag
O=Other

Client Comments:
180

Laboratory Comments:
See page 1

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 2/19/09 1613
Received by: (signature)	Date/Time: 2/19/09 1613
Relinquished by: (signature)	Date/Time: 2/19/09 1840
Received by: (signature)	Date/Time: 2/19/09 1840

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 Day

RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1/S2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

100
14

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC Environmental
Address: 650 Suffolk Street
Lowell, MA 01854
Attention: Dave Sullivan
Project Location: Walsh Field, New Bedford
Sampled By: E. Wachtel + K. Ketchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #: 978-453-1995
Email: dsullivan@trcsolutions.com
Format: ☒ EXCEL ☐ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Date Sampled Stop Date/Time	Comp-osite	Grab	*Matrix Code	Conc. Code	Arsenic (I, G)	Lead (I, G)	Arsenic	# of containers	**Preservation	-Cont.Code
	WFB2-H (0-1)		2/17/09	1430	X		S		X	X				
	WFB2-H (1-3)			1435	X		S		X	X				
	WFC2-A (0-1)			1530	X		S		X	X				
	WFC2-A (1-3)			1535	X		S		X	X				
	WFC2-E (0-1)			1545	X		S		X	X	✓			
	WFC2-E (1-3)			1550	X		S		X	X	✓			

-Cont. Code:
A=amber glass
G=glass
P=plastic
ST=sterile
V=vial
S=summa can
T=tedlar bag
O=Other

Client Comments:

Laboratory Comments: Hold all remain aliquots for possible TCLP

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 2/17/09 1600	
Received by: (signature)	Date/Time: 2-17-9 1600	
Relinquished by: (signature)	Date/Time: 2-17-9 1818	
Received by: (signature) 3.0 C	Date/Time: 2/17/09 1818	

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S-1/S-2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS

15

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St.
Lowell MA 01854
Attention: David Sullivan
Project Location: City of NB (Walsh)
Sampled By: J. Saunders / H. Rizza

Telephone: (978) 656-3565
Project # 115055
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #:
Email: dsullivan@trcsolutions.com
Format: ☒ EXCEL ☐ PDF ☒ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☒ yes 2007 proposal date
State Form Required? ☒ yes ☐ no

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Total Arsenic	Total Lead	Arsenic + Lead	Arsenic							
									1	1									# of containers
									I	E									**Preservation
									G	G									~Cont.Code
	WFC-2G (0-1) (HOLD)	*	2/23/09	1415		G	S	U	X	X	✓							(HOLD)	
	WFC-2G (1-3) (HOLD)	*		1420					X	X	✓							(HOLD)	
	WFC-2D (0-1)	*		1440					X	X									
	WFC-2D (1-3)	*		1445					X	X									
	WFC-2I (1-3)	*		1435					X	X									
	WFC-2H (0-1) (HOLD)	*		1505					X	X		✓						(HOLD)	
	WFC-2H (1-3) (HOLD)	*	2/23/09	1510		G	S	U	X	X		✓						(HOLD)	

ANALYSIS REQUESTED

~Cont. Code:
A=amber glass
G=glass
P=plastic
ST=sterile
V=vial
S=summa can
T=tedlar bag
O=Other

Client Comments:
* Hold sample volume for possible TCLP analysis pending initial results

18E

Laboratory Comments:
CH

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 2/23/09	1600
Received by: (signature)	Date/Time: 2/23/9	1600
Relinquished by: (signature)	Date/Time: 2-23-9	1900
Received by: (signature)	Date/Time: 2/23/09	1900

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 day
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S-1/S-2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's: See Quote

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
X = Na hydroxide
H = HCL
T = Na thiosulfate
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC Environmental
Address: 650 Suffolk Street, Lowell, MA 01854
Attention: David Sullivan
Project Location: New Bedford, MA
Sampled By: C. Foster, R. Wiles

Telephone: (978) 970-5600
Project # 115058.0000
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax # :
Email: dsullivan@trcsolutions.com
Format: ☒ EXCEL ☐ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date
State Form Required? ☐ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Date Sampled Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Lead	Lead	# of containers	**Preservation	~Cont.Code
	WFC13E-0-1 (HOLD)		2/19/09	1245		X	S		X	✓			
	WFC13E-1-3 (HOLD			1250		X	S		X	✓			
	WFC13A-0-1			1315		X	S		X				
	WFC13A-1-3			1320		X	S		X				
	WFC913-1-3			1215		X	S		X				
	WFC13C-0-1			1340		X	S		X				
	WFC13C-1-3			1345		X	S		X				
	WFC13B-0-1 (HOLD)			1355		X	S		X				

~Cont. Code:
A=amber glass
G=glass
P=plastic
ST=sterile
V= vial
S=summa can
T=tedlar bag
O=Other

Client Comments:
HOLD
189
HOLD

Laboratory Comments:

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 2-19-09 1615
Received by: (signature)	Date/Time: 2-19-09 1615
Relinquished by: (signature)	Date/Time: 2-19-09 1640
Received by: (signature)	Date/Time: 2/19/09 1640

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 day
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S-1/S-2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's: See quote

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate
ATD

17

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

Lmt-23788

CHAIN OF CUSTODY RECORD

~~Lmt # 23513~~

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com
39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St. Lowell MA. 01837
Attention: Dave Sullivan
Project Location: New Bedford, Walsh Field
Sampled By: H. Kizza + K. Kitchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one): ☐FAX ☒EMAIL ☐WEBSITE CLIENT
Fax #:
Email: DSullivan@TRCSolutions.com
Format: ☒EXCEL ☒PDF ☐ GIS KEY ☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Arsenic	Lead (HOLD)	PAHs	Dibenzofuran 8270 Bin	TPH EPH *	Arsenic + Lead							# of containers / **Preservation / ~Cont.Code
	*BST-2H (1-3) HOLD	07018	2/24/09	1130		X	S		X	X				✓ (HOLD)							
	WFB4-A (0-1)	~~05601 HO~~		1200		X	S				X	X	X								
	WFB4-A (1-3) MK 3/10	~~05602 HO~~		1205		X	S				X	X	X								
	WFB4-E (0-1) HOLD			1220		X	S				X	X	X	(HOLD)							
	WFB4-E (1-3) HOLD			1225		X	S				X	X	X	(HOLD)							
	WFB4-B (0-1)	~~05603 HO~~		1230		X	S				X	X	X								
	WFB4-B (1-3) MK 3/10	~~05604 HO~~		1235		X	S				X	X	X								
	WFB4-I (1-3) MK 3/10	~~05605 HO~~	↓	~~1330~~ 1335 HO		X	S				X	X	X								

Client Comments: 26B

Laboratory Comments:
* Hold all remaining aliquots of soil for possible TCLP analysis pending results. * EPH per David Sullivan 2/25

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 2/24/09 1630
Received by: (signature)	Date/Time: 2-24-9 1630
Relinquished by: (signature)	Date/Time: 2-24-9 1845
Received by: (signature) 3.0°	Date/Time: 2/24/09 1845

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 2 Day

RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1/S2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

Limt # 23512

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St. Lowell ma.
Attention: Dave Sullivan
Project Location: Newbedford, Walsh field
Sampled By: H. Ritzza + K Kitchin

Telephone: (978) 970-5600
Project # 115258
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #:
Email: DSullivan@TRCSolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY ☐ OTHER

Proposal Provided? (For Billing purposes) ☐ yes _____ proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab # 09B	Date Sampled Start Date/~~Time~~	Stop ~~Date~~/Time	Composite	Grab	*Matrix Code	Conc. Code	PAHs	Dibenzofuran	TPH-EPH ¥	PAH		(HOLD)							# of containers	**Preservation	~Cont.Code
									9														
									I	I	I												
									G	G	G												
	WFB4-F (0-1) HOLD		2/24/09	1300		X	S	U	X	X	X	✓		(HOLD)									
	WFB4-F (1-3) HOLD			1305		X	S	U	X	X	X	✓		(HOLD)									
	WFB4-C (0-1)	05606/15		1325		X	S	U	X	X	X												
	WFB4-C (1-3) + m/m/D	05607/16		1330		X	S	U	X	X	X												
	WFB4-G (0-1) HOLD			1345		X	S	U	X	X	X			(HOLD)									
	WFB4-G (1-3) HOLD			1350		X	S	U	X	X	X			(HOLD)									
	WFB4-D (0-1)	05608/17		~~1410~~ 1415		X	S	U	X	X	X												
	WFB4-D (1-3)	05609/18	✓	~~1415~~ 1420		X	S	U	X	X	X												

Client Comments: 26B

Laboratory Comments: ¥ EPH per David Sullivan KA 2/25

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

~Cont. Code: A=amber glass, G=glass, P=plastic, ST=sterile, V=vial, S=summa can, T=tedlar bag, O=Other

Relinquished by: (signature)	Date/Time: 2/24/09 1630
Received by: (signature)	Date/Time: 2-24-9 1630
Relinquished by: (signature)	Date/Time: 2-24-9 1845
Received by: (signature)	Date/Time: 2/24/09 1845

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 Day

RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S1/S2
Data Enhancement Project/RCP? ☐ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced, X = Na hydroxide
H = HCL, T = Na thiosulfate
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other

19

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St.
Lowell MA 01854
Attention: David Sullivan
Project Location: City of NB (Welsh)
Sampled By: J. Saunders / H. Ritter

Telephone: (978) 656-3565
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax # :
Email: dsullivan@trcsolutions.com
Format: ☒ EXCEL ☐ PDF ☒ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes) ☒ yes 2007 proposal date
State Form Required? ☒ yes ☐ no

Field ID	Sample Description	Lab #	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Total Arsenic	Total Lead	Arsenic							# of containers	**Preservation	-Cont.Code
									1	1								1	I	G
	Post-3X (54-60)		2/23/09	1150		G	S	U	X	X										
	Post-3X (60-66)			1152					X	X										
	WFC-2B (0-1)	*		1315					X	X										
	WFC-2B (1-3)	*		1320					X	X										
	WFC-2F (0-1) (HOLD)	*		1325					X	X	✓						(HOLD)			
	WFC-2F (1-3) (HOLD)	*		1330					X	X	✓						(HOLD)			
	WFC-2C (0-1)	*		1359					X	X										
	WFC-2C (1-3) (plus MS/MSD)	*	2/23/09	1355		G	S	U	X	X							(plus MS/MSD)			

ANALYSIS REQUESTED

Cont. Code:
A=amber glass
G=glass
P=plastic
ST=sterile
V=vial
S=summa can
T=tedlar bag
O=Other

Client Comments:
* Hold samples for possible TCLP analysis pending initial results per TRC's request

Laboratory Comments:

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by: (signature)	Date/Time: 2/23/09	1600
Received by: (signature)	Date/Time: 2-23-9	1600
Relinquished by: (signature)	Date/Time: 2-23-9	1900
Received by: (signature)	Date/Time: 2/23/09	1900

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 day
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S-1/S-2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's: See Quote

***Matrix Code:**
GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
X = Na hydroxide
H = HCL
T = Na thiosulfate
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other

20

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY

Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Limit ~~06377~~ 23659

ompany Name: TRC
ddress: 650 Suffolk St. Lowell, MA
ttention: David Sullivan
roject Location: New Bedford - Walsh
ampled By: C. Foster / K. Kitchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax # :
Email: dsullivan@trcsolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY
☐ OTHER

roposal Provided? (For Billing purposes) ☐ yes _____ proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab # 098	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Cd + Pb	PAH (BAP)	PAH								# of containers / **Preservation / ~Cont. Code	Client Comments:
	WFD6-E (1-3) HOLD		2/23/09	1055		X	S	U	X								HOLD			
	WFE-5-G (0-1) HOLD	06379		1125						X	✓						HOLD			HOLD
	WFE-5-G (1-3) HOLD	06380		1130							✓						HOLD			HOLD
	WFE-5-C (0-1)			1140																
	WFE-5-C (1-3)			1145																
	WFE-5-A (0-1)			1155																
	WFE-5-A (1-3) MS/DUP			1200								MS/DUP (2-8oz. jars)								MS/DUP
	WFE-5-E (0-1) HOLD	06381		1210													HOLD			HOLD

~Cont. Code: A=amber glass, G=glass, P=plastic, ST=sterile, V=vial, S=summa can, T=tedlar bag, O=Other

aboratory Comments: Hold all remaining aliquots of soil for possible TCLP analysis pending results

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

elinquished by: (signature)	Date/Time: 2/23/09 1600	
eceived by: (signature)	Date/Time: 2-23-9 1600	
elinquished by: (signature)	Date/Time: 2-23-9 1500	
eceived by: (signature)	Date/Time: 2/23/09 1900	

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S-1/S-2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

Limt # 23572

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St. Lowell MA 01854
Attention: Dave Sullivan
Project Location: City of New Bedford (walsh)
Sampled By: Bob Paulin Charlie Justin

Telephone: (978) 970 5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax #:
Email: DSullivan@TRCSolutions.com
Format: ☒ EXCEL ☒ PDF ☒ GIS KEY ☐ OTHER

Proposal Provided? (For Billing purposes) ☒ yes Unknown proposal date

State Form Required? ☒ yes ☐ no

ANALYSIS REQUESTED

Field ID	Sample Description	Lab # OAB	Date Sampled Start Date/Time	Stop Date/Time	Composite	Grab	*Matrix Code	Conc. Code	Arsenic (As)	Lead (Pb)	Cadmium (Cd)	Lead							# of containers	**Preservation	~Cont.Code
									1	1	1								1	I	G
	WFG7-E (0-1)		2-26-09	1155		X	S	U	X	X	X		O	n	H	o	l	d			
	WFG7-E (1-3)		2-26-09	1200		X	S	U	X	X	X		O	n	H	o	l	d			
	WFG7-F (0-1)		2-26-09	1115		X	S	U	X	X	X		O	n	H	o	l	d			
	WFG7-F (1-3)		2-26-09	1120		X	S	U	X	X	X		O	n	H	o	l	d			
	WFG7-G (0-1)		2-26-09	1125		X	S	U	X	X	X	✓	O	n	H	o	l	d			
	WFG7-G (1-3)		2-26-09	1130		X	S	U	X	X	X	✓	O	n	H	o	l	d			
	WFG7-H (0-1)		2-26-09	1030		X	S	U	X	X	X		O	n	H	o	l	d			
	WFG7-H (1-3)		2-26-09	1035		X	S	U	X	X	X		O	n	H	o	l	d			

~Cont. Code: A=amber glass, G=glass, P=plastic, ST=sterile, V=vial, S=summa can, T=tedlar bag, O=Other

Client Comments: 18D

Laboratory Comments: Please Hold Sample Aliquot for Possible TCLP Analysis.

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by: (signature)	Date/Time: 2/26/09 1620	
Received by: (signature)	Date/Time: 2/26/09 1620	
Relinquished by: (signature)	Date/Time: 2/26/09 1822	
Received by: (signature) Temp 2-c	Date/Time: 2/26/09 1822	

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5 day
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? MCP S-1, S-2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW = groundwater
WW = wastewater
DW = drinking water
A = air
S = soil/solid
SL = sludge
O = other

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other
X = Na hydroxide
T = Na thiosulfate

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

con-test® ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@contestlabs.com
www.contestlabs.com

CHAIN OF CUSTODY RECORD

Limt-23302

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Company Name: TRC
Address: 650 Suffolk St.
Lowell, MA
Attention: David Sullivan
Project Location: New Bedford, MA
Sampled By: C. Foster / K. Kitchin

Telephone: (978) 970-5600
Project # 115058
Client PO #

DATA DELIVERY (check one):
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT
Fax # :
Email: dsullivan@trcsolutions.com
Format: ☒ EXCEL ☒ PDF ☐ GIS KEY
☐ OTHER

Proposal Provided? (For Billing purposes)
☐ yes _____ proposal date

State Form Required?
☒ yes ☐ no

Field ID	Sample Description	Lab # 09B	Date Sampled Start Date/Time	Stop Date/Time	Comp-osite	Grab	*Matrix Code	Conc. Code	PAHs (8270C)	metals + Hg (MCP)	MCP metals											Client Comments:
									# of containers													
									** Preservation													
									~Cont. Code													
	SB-355 (7.5) HOLD		2/16/09 1210			X	S	U	X	X	✓											
	SB-356 (0-1)	04352	2/16/09 1310			X	S	U	X	X												
	SB-356 (1-2)	04353	2/16/09 1320			X	S	U	X	X												MS/MSD @ SB-356 (1-2)
	SB-356 (3.5)	04354	2/16/09 1325			X	S	U	X	X												
	SB-356 (6.5)	04355	2/16/09 1330			X	S	U	X	X												
	SB-356 (8.5) HOLD		2/16/09 1340			X	S	U	X	X												HOLD
	SB-357 (0-1)	04356	2/16/09 1400			X	S	U	X	X												
	SB-357 (1-2)	04357	2/16/09 1410			X	S	U	X	X												

ANALYSIS REQUESTED

~Cont. Code:
A=amber glass
G=glass
P=plastic
ST=sterile
V=vial
S=summa can
T=tedlar bag
O=Other

Laboratory Comments: * Hold all remaining soil aliquots for possible TCLP analysis pending results

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in **Matrix/Conc.** Code Box:
H - High; **M** - Medium; **L** - Low; **C** - Clean; **U** - Unknown

Relinquished by: (signature)	Date/Time: 2/16/09 1545
Received by: (signature)	Date/Time: 2-16-9 1545
Relinquished by: (signature)	Date/Time: 2-16-9 1815
Received by: (signature) 3.0°	Date/Time: 2/16/09 1815

Turnaround **
☐ 7-Day
☐ 10-Day
☒ Other 5
RUSH *
☐ *24-Hr ☐ *48-Hr
☐ *72-Hr ☐ *4-Day
* Require lab approval

Detection Limit Requirements
Regulations? S-1/S-2
Data Enhancement Project/RCP? ☒ Y ☐ N
Special Requirements or DL's:

***Matrix Code:**
GW= groundwater
WW= wastewater
DW= drinking water
A = air
S = soil/solid
SL = sludge
O = other_____

****Preservation Codes:**
I = Iced
H = HCL
M = Methanol
N = Nitric Acid
S = Sulfuric Acid
B = Sodium bisulfate
O = Other_____
X = Na hydroxide
T = Na thiosulfate

** TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAC & WBE/DBE Certified

Subject: Fw: New Bedford Walsh Field Hold Authorizations
From: <tferrentino@contestlabs.com>
Date: Tue, 10 Mar 2009 15:25:40 -0400
To: <mkelley@contestlabs.com>

----- Original Message -----
From: Sullivan, Dave (Lowell,MA-US)
To: tferrentino@contestlabs.com
Cc: Zhou, Ping (Lowell,MA-US) ; Denly, Elizabeth (Lowell,MA-US) ; Silverman, Diane (Lowell,MA-US) ; Niles, Ryan (Lowell,MA-US)
Sent: Monday, March 09, 2009 2:45 PM
Subject: RE: New Bedford Walsh Field Hold Authorizations

Ya. I screwed up.

See below:

Post 1A 0-1 lead
Post 1A 1-3 lead
Post 1B 0-1 lead
Post 1B 1-3 lead
Post 1C 0-1 lead
Post 1C 1-3 lead
Post 1D 0-1 lead
Post 1D 1-3 lead
Post 1H 0-1 lead
Post 1H 1-3 lead

Thanks for catching that one.

-Dave

David M. Sullivan, LSP, CHMM
Senior Project Manager

TRC
Wannalancit Mills
650 Suffolk Street
Lowell, Massachusetts 01854

978-656-3565 phone
978-453-1995 fax
978-758-2809 cell
dsullivan@trcsolutions.com

From: tferrentino@contestlabs.com [mailto:tferrentino@contestlabs.com]

Sent: Monday, March 09, 2009 2:42 PM
To: Sullivan, Dave (Lowell,MA-US)
Cc: Zhou, Ping (Lowell,MA-US); Denly, Elizabeth (Lowell,MA-US); Silverman, Diane (Lowell,MA-US); Niles, Ryan (Lowell,MA-US)
Subject: Re: New Bedford Walsh Field Hold Authorizations

Dave,

You had listed Post 1C 0-1 and Post 1C 0-2 twice. Did you need something else, or is this just an error?

Theresa

----- Original Message -----
From: Sullivan, Dave (Lowell,MA-US)
To: tferrentino@contestlabs.com
Cc: Zhou, Ping (Lowell,MA-US) ; Denly, Elizabeth (Lowell,MA-US) ; Silverman, Diane (Lowell,MA-US) ; Niles, Ryan (Lowell,MA-US)
Sent: Sunday, March 08, 2009 8:17 PM
Subject: New Bedford Walsh Field Hold Authorizations

Theresa:

Please proceed with the analysis of the following TRC samples from New Bedford that were placed on hold:

Post 1A 0-1 lead
Post 1A 1-3 lead
Post 1B 0-1 lead
Post 1B 1-3 lead
Post 1C 0-1 lead
Post 1C 1-3 lead
Post 1C 0-1 lead
Post 1C 1-3 lead
Post 1H 0-1 lead
Post 1H 1-3 lead

Post 2E 0-1 arsenic and lead
Past 2E 1-3 arsenic and lead
Post 2H 0-1 arsenic and lead
Post 2H 1-3 arsenic and lead
Post 2B 0-1 lead
Post 2B 1-3 lead
Post 2C 0-1 lead
Post 2C1-3 lead

SB-233F 0-1 lead
SB-233F 1-3 lead
SB-233G 0-1 cadmium and lead
SB-233G 1-3 cadmium and lead
SB-233H 0-1 cadmium and lead
SB-233H 1-3 cadmium and lead

WFA-10E 0-1 cadmium and lead
WFA-10E 1-3 cadmium and lead
WFA-10F 0-1 lead
WFA-10F 1-3 lead

WFA-10G 0-1 lead
WFA-10G 1-3 lead

WFA-11E 0-1 lead
WFA-11E 1-3 lead
WFA-11F 0-1 lead
WFA-11F 1-3 lead
WFA-11G 0-1 lead
WFA-11G 1-3 lead
WFA-11H 0-1 lead
WFA-11H 1-3 lead

WFC-2E 0-1 arsenic
WFC-2E 1-3 arsenic
WFC-2F 0-1 arsenic
WFC-2F 1-3 arsenic
WFC-2G 0-1 arsenic and lead
WFC-2G 1-3 arsenic and lead
WFC-2H 0-1 arsenic
WFC-2H 1-3 arsenic

WFB-11E 0-1 lead
WFB-11E 1-3 lead
WFB-11F 0-1 lead
WFB-11F 1-3 lead
WFB-11G 0-1 lead
WFB-11G 1-3 lead
WFB-11H 0-1 lead
WFB-11H 1-3 lead

WFC-13E 0-1 lead
WFC-13E 1-3 lead

WFE-5G 0-1 PAHs
WFE-5G 1-3 PAHs

WFB-4F 0-1 PAHs
WFB-4F 1-3 PAHs

WFG-7G 0-1 lead
WFG-7G 1-3 lead

That should do it for now.

Thanks very much.

-Dave

David M. Sullivan, LSP, CHMM
Senior Project Manager

TRC ESP

TRC
Wannalancit Mills
650 Suffolk Street
Lowell, Massachusetts 01854

978-656-3565 phone
978-453-1995 fax
978-758-2809 cell
dsullivan@trcsolutions.com