



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 5/8/2009

TRC SOLUTIONS - LOWELL
 650 SUFFOLK STREET
 LOWELL, MA 01852
 ATTN: DAVID SULLIVAN

CONTRACT NUMBER:
 PURCHASE ORDER NUMBER:

PROJECT NUMBER:

ANALYTICAL SUMMARY

LIMS BAT #: LIMIT-25101
 JOB NUMBER: 115058

PROJECT LOCATION: CITY OF NEW BEDFORD

FIELD SAMPLE #	LAB ID	MATRIX	SAMPLE DESCRIPTION	TEST	Subcontract Lab (if any) Cert. Nos.
HF-43H (1-3)	09B13705	SOIL	Not Specified	pb (mg/kg)dw icp	
HF-43H (1-3)	09B13705	SOIL	Not Specified	solids (percent)	
POST-3FF	09B13715	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3FF	09B13715	SOIL	Not Specified	solids (percent)	
POST-3GG	09B13717	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3GG	09B13717	SOIL	Not Specified	solids (percent)	
POST-3HH	09B13714	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3HH	09B13714	SOIL	Not Specified	solids (percent)	
POST-3II	09B13716	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3II	09B13716	SOIL	Not Specified	solids (percent)	
POST-3JJ	09B13712	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3JJ	09B13712	SOIL	Not Specified	solids (percent)	
POST-3KK	09B13713	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3KK	09B13713	SOIL	Not Specified	solids (percent)	
SS-36F (0-1)	09B13706	SOIL	Not Specified	pb (mg/kg)dw icp	
SS-36F (0-1)	09B13706	SOIL	Not Specified	solids (percent)	
SS-36F (1-3)	09B13707	SOIL	Not Specified	pb (mg/kg)dw icp	
SS-36F (1-3)	09B13707	SOIL	Not Specified	solids (percent)	
SS-36G (0-1)	09B13708	SOIL	Not Specified	pb (mg/kg)dw icp	
SS-36G (0-1)	09B13708	SOIL	Not Specified	solids (percent)	
SS-36G (1-3)	09B13709	SOIL	Not Specified	pb (mg/kg)dw icp	
SS-36G (1-3)	09B13709	SOIL	Not Specified	solids (percent)	
SS-36H (0-1)	09B13710	SOIL	Not Specified	pb (mg/kg)dw icp	
SS-36H (0-1)	09B13710	SOIL	Not Specified	solids (percent)	
SS-36H (1-3)	09B13711	SOIL	Not Specified	pb (mg/kg)dw icp	
SS-36H (1-3)	09B13711	SOIL	Not Specified	solids (percent)	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 5/8/2009

TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852
ATTN: DAVID SULLIVAN

CONTRACT NUMBER:
PURCHASE ORDER NUMBER:

PROJECT NUMBER:

ANALYTICAL SUMMARY

LIMS BAT #: LIMT-25101

JOB NUMBER: 115058

Comments :

LIMS BATCH NO. : LIMT-25101

CASE NARRATIVE SUMMARY

Recommended sample holding times were not exceeded for all samples unless listed below:
None Exceeded

All samples for the method(s) listed were received preserved properly in the proper containers at 4°C +/- 2 degrees as specified on the chain-of-custody form unless listed below:
All properly preserved

There are no (other) analytical issues which affect the usability of the data.

DETAILED CASE NARRATIVE

METHOD SW846-6010 - ADDITIONAL DETAILS

Sample duplicate and matrix spike performed on sample 09B13705. Matrix spike recovery outside control limits for Pb, however, the sample concentration is greater than 4 times the spike concentration and a representative recovery is not obtainable.

Only As was requested and reported for samples 09B13712 through 09B13717.
Only Pb was requested and reported for samples 09B13705 through 09B13711.

The results of analyses performed are based on samples as submitted to the laboratory and relate only to the items collected and tested.

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations. AIHA accreditations only apply to NIOSH methods and Environmental Lead Analyses.

AIHA 100033	AIHA ELLAP (LEAD) 100033	NORTH CAROLINA CERT. # 652
MASSACHUSETTS MA0100	NEW HAMPSHIRE NELAP 2516	NEW JERSEY NELAP NJ MA007 (AIR)
CONNECTICUT PH-0567	VERMONT DOH (LEAD) No. LL015036	FLORIDA DOH E871027 (AIR)
NEW YORK ELAP/NELAP 10899	RHODE ISLAND (LIC. No. 112)	

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

Ted Kopyscinski 5/8/09
SIGNATURE DATE

Tod Kopyscinski
Air Laboratory Manager

Michael Erickson
Assistant Laboratory Director

Edward Denson
Technical Director

Daren Damboragian
Organics Department Supervisor

* See end of data tabulation for notes and comments pertaining to this sample



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

5/8/2009
Page 2 of 8

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD
Date Received: 5/6/2009

LIMS-BAT #: LIMIT-25101
Job Number: 115058

Field Sample #: POST-3KK

Sample ID: 09B13713 ‡Sampled: 3/30/2009
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	108	05/07/09	OP	2.99		

Analytical Method:
SW846 3050/6010

SAMPLES ARE DIGESTED WITH NITRIC ACID AND THEN ANALYZED BY
INDUCTIVELY COUPLED PLASMA EMISSION SPECTROSCOPY.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



DAVID SULLIVAN
 TRC SOLUTIONS - LOWELL
 650 SUFFOLK STREET
 LOWELL, MA 01852

5/8/2009
 Page 3 of 8

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD

LIMS-BAT #: LIMIT-25101

Date Received: 5/6/2009

Job Number: 115058

Field Sample #: HF-43H (1-3)

Sample ID: 09B13705 ±Sampled: 4/1/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	281	05/07/09	OP	0.80			

Field Sample #: SS-36F (0-1)

Sample ID: 09B13706 ±Sampled: 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	37.5	05/07/09	OP	0.88			

Field Sample #: SS-36F (1-3)

Sample ID: 09B13707 ±Sampled: 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	507	05/07/09	OP	1.06			

Field Sample #: SS-36G (0-1)

Sample ID: 09B13708 ±Sampled: 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	34.4	05/07/09	OP	0.89			

Field Sample #: SS-36G (1-3)

Sample ID: 09B13709 ±Sampled: 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	1110	05/07/09	OP	0.94			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN
 TRC SOLUTIONS - LOWELL
 650 SUFFOLK STREET
 LOWELL, MA 01852

5/8/2009
 Page 4 of 8

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD
 Date Received: 5/6/2009

LIMS-BAT #: LIMIT-25101
 Job Number: 115058

Field Sample # : SS-36H (0-1)

Sample ID : 09B13710 ‡Sampled : 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	856	05/07/09	OP	1.12			

Field Sample # : SS-36H (1-3)

Sample ID : 09B13711 ‡Sampled : 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit		P/ F
						Lo	Hi	
Lead	mg/kg dry wt	20.8	05/07/09	OP	0.91			

Analytical Method:
 SW846 3050/6010

SAMPLES ARE DIGESTED WITH NITRIC ACID AND THEN ANALYZED BY
 INDUCTIVELY COUPLED PLASMA EMISSION SPECTROSCOPY.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



DAVID SULLIVAN
 TRC SOLUTIONS - LOWELL
 650 SUFFOLK STREET
 LOWELL, MA 01852

5/8/2009
 Page 5 of 8

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD

LIMS-BAT #: LIMIT-25101

Date Received: 5/6/2009

Job Number: 115058

Field Sample #: HF-43H (1-3)

Sample ID: 09B13705 ±Sampled: 4/1/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	94.5	05/08/09	NCH			

Field Sample #: POST-3FF

Sample ID: 09B13715 ±Sampled: 3/30/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	83.3	05/08/09	NCH			

Field Sample #: POST-3GG

Sample ID: 09B13717 ±Sampled: 3/30/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	83.1	05/08/09	NCH			

Field Sample #: POST-3HH

Sample ID: 09B13714 ±Sampled: 3/30/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	80.7	05/08/09	NCH			

Field Sample #: POST-3II

Sample ID: 09B13716 ±Sampled: 3/30/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	85.3	05/08/09	NCH			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



DAVID SULLIVAN
 TRC SOLUTIONS - LOWELL
 650 SUFFOLK STREET
 LOWELL, MA 01852

5/8/2009
 Page 6 of 8

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD
 Date Received: 5/6/2009

LIMS-BAT #: LIMIT-25101
 Job Number: 115058

Field Sample # : POST-3JJ

Sample ID : 09B13712 ‡Sampled : 3/30/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	85.1	05/08/09	NCH			

Field Sample # : POST-3KK

Sample ID : 09B13713 ‡Sampled : 3/30/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	83.8	05/08/09	NCH			

Field Sample # : SS-36F (0-1)

Sample ID : 09B13706 ‡Sampled : 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	85.4	05/08/09	NCH			

Field Sample # : SS-36F (1-3)

Sample ID : 09B13707 ‡Sampled : 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	71.0	05/08/09	NCH			

Field Sample # : SS-36G (0-1)

Sample ID : 09B13708 ‡Sampled : 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	84.8	05/08/09	NCH			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN
 TRC SOLUTIONS - LOWELL
 650 SUFFOLK STREET
 LOWELL, MA 01852

5/8/2009
 Page 7 of 8

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD
 Date Received: 5/6/2009

LIMS-BAT #: LIMIT-25101
 Job Number: 115058

Field Sample #: **SS-36G (1-3)**

Sample ID: **09B13709** ‡Sampled : 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	80.5	05/08/09	NCH			

Field Sample #: **SS-36H (0-1)**

Sample ID: **09B13710** ‡Sampled : 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	67.2	05/08/09	NCH			

Field Sample #: **SS-36H (1-3)**

Sample ID: **09B13711** ‡Sampled : 3/9/2009
 Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	83.1	05/08/09	NCH			

Analytical Method:

SM 2540G

PERCENT OF SAMPLE REMAINING AFTER DRYING OVERNIGHT AT 103-105 DEGREES CENTIGRADE.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

DAVID SULLIVAN
TRC SOLUTIONS - LOWELL
650 SUFFOLK STREET
LOWELL, MA 01852

5/8/2009
Page 8 of 8

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD
Date Received: 5/6/2009

LIMS-BAT #: LIMIT-25101
Job Number: 115058

** END OF REPORT **

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 5/8/2009

Lims Bat # : LIMIT-25101

Page 1 of 2

QC Batch Number: ICP-21711

Sample Id	Analysis	QC Analysis	Values	Units	Limits
09B13705	Lead	Sample Amount	280.76	mg/kg dry wt	
		Duplicate Value	310.30	mg/kg dry wt	
		Duplicate RPD	9.99	%	0-35
		Sample Amount	280.76	mg/kg dry wt	
		Matrix Spk Amt Added	26.45	mg/kg dry wt	
		MS Amt Measured	378.53	mg/kg dry wt	
		Matrix Spike % Rec.	369.56	%	75-125
BLANK-132600	Arsenic	Blank	<2.50	mg/kg dry wt	
	Lead	Blank	<0.75	mg/kg dry wt	
LFBLANK-94889	Arsenic	Lab Fort Blank Amt.	123.00	mg/kg dry wt	
		Lab Fort Blk. Found	131.44	mg/kg dry wt	
		Lab Fort Blk. % Rec.	106.86	%	83-117
		Dup Lab Fort Bl Amt.	123.00	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	124.18	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	100.95	%	83-117
		Lab Fort Blank Range	5.90	units	
		Lab Fort Bl. Av. Rec	103.91	%	
		LFB Duplicate RPD	5.68	%	0-30
	Lead	Lab Fort Blank Amt.	136.00	mg/kg dry wt	
		Lab Fort Blk. Found	147.30	mg/kg dry wt	
		Lab Fort Blk. % Rec.	108.30	%	81-120
		Dup Lab Fort Bl Amt.	136.00	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	134.03	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	98.55	%	81-120
		Lab Fort Blank Range	9.75	units	
		Lab Fort Bl. Av. Rec	103.43	%	
		LFB Duplicate RPD	9.43	%	0-30



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates BATCH QC: Lab fortified Blanks and Duplicates
Sample Matrix Spikes and Matrix Spike Duplicates Standard Reference Materials and Duplicates
Method Blanks

Report Date: 5/8/2009 Lims Bat #: LIMIT-25101 Page 2 of 2

QUALITY CONTROL DEFINITIONS AND ABBREVIATIONS

QC BATCH NUMBER This is the number assigned to all samples analyzed together that would be subject to comparison with a particular set of Quality Control Data.

LIMITS Upper and Lower Control Limits for the QC ANALYSIS Reported. All values normally would fall within these statistically determined limits, unless there is an unusual circumstance that would be documented in a NOTE appearing on the last page of the QC SUMMARY REPORT. Not all QC results will have Limits defined.

Sample Amount Amount of analyte found in a sample.

Blank Method Blank that has been taken though all the steps of the analysis.

LFBLANK Laboratory Fortified Blank (a control sample)

STDADD Standard Added (a laboratory control sample)

Matrix Spk Amt Added Amount of analyte spiked into a sample
MS Amt Measured Amount of analyte found including amount that was spiked
Matrix Spike % Rec. % Recovery of spiked amount in sample.

Duplicate Value The result from the Duplicate analysis of the sample.
Duplicate RPD The Relative Percent Difference between two Duplicate Analyses.

Surrogate Recovery The % Recovery for non-environmental compounds (surrogates) spiked into samples to determine the performance of the analytical methods.

Sur. Recovery (ELCD) Surrogate Recovery on the Electrolytic Conductivity Detector.
Sur. Recovery (PID) Surrogate Recovery on the Photoionization Detector.

Standard Measured Amount measured for a laboratory control sample
Standard Amt Added Known value for a laboratory control sample
Standard % Recovery % recovered for a laboratory control sample with a known value.

Lab Fort Blank Amt Laboratory Fortified Blank Amount Added
Lab Fort Blk. Found Laboratory Fortified Blank Amount Found
Lab Fort Blk % Rec Laboratory Fortified Blank % Recovered
Dup Lab Fort Bl Amt Duplicate Laboratory Fortified Blank Amount Added
Dup Lab Fort Bl Fnd Duplicate Laboratory Fortified Blank Amount Found
Dup Lab Fort Bl % Rec Duplicate Laboratory Fortified Blank % Recovery
Lab Fort Blank Range Laboratory Fortified Blank Range (Absolute value of difference between recoveries for Lab Fortified Blank and Lab Fortified Blank Duplicate).

Lab Fort Bl. Av. Rec. Laboratory Fortified Blank Average Recovery

Duplicate Sample Amt Sample Value for Duplicate used with Matrix Spike Duplicate
MSD Amount Added Matrix Spike Duplicate Amount Added (Spiked)
MSD Amt Measured Matrix Spike Duplicate Amount Measured
MSD % Recovery Matrix Spike Duplicate % Recovery
MSD Range Absolute difference between Matrix Spike and Matrix Spike Duplicate Recoveries



Phone: 413-525-2332
 Fax: 413-525-6405
 Email: info@contestlabs.com
 www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST. 2ND FLOOR
 EAST LONGMEADOW, MA 01028

LIMIT: 25101

Company Name: TEL
 Address: 650 S. Maple St.
Lowell, MA 01854
 Attention: David Collins

Project Location: 1041 W. (10/15)
 Sampled By: J. Collins

Proposal Provided? (For Billing purposes) Yes No
 State Form Required? Yes No

Telephone: (978) 632-3265
 Project # 115855
 Client PO # _____
 DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT
 Fax #: _____
 Email: David.Collins@contestlabs.com
 Format: EXCEL PDF PLS'S KEY

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Comp. Code	Grab Code	Matrix Code	Conc. Code	Analysis Requested	Cont. Code	Comments
SS-36E (0-1)	(1000)	137007	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137008	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137009	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137010	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137011	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137012	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137013	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137014	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137015	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137016	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137017	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137018	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137019	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137020	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137021	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137022	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137023	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137024	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137025	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137026	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137027	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137028	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137029	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137030	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137031	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137032	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137033	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137034	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137035	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137036	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137037	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137038	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137039	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137040	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137041	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137042	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137043	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137044	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137045	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137046	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137047	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137048	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137049	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137050	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137051	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137052	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137053	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137054	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137055	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137056	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137057	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137058	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137059	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137060	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137061	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137062	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137063	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137064	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137065	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137066	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137067	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137068	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137069	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137070	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137071	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137072	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137073	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137074	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137075	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137076	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137077	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137078	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137079	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137080	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137081	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137082	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137083	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137084	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137085	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137086	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137087	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137088	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137089	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137090	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137091	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137092	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137093	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137094	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137095	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137096	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137097	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137098	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137099	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137100	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137101	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137102	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137103	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137104	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137105	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137106	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137107	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137108	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137109	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137110	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137111	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137112	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137113	10/15	1135	1	S	UL	X			
SS-36E (0-1)	(1000)	137114	10/15	1135	1	S	UL	X			
SS-36E											



con-fest
ANALYTICAL LABORATORY
Phone: 413-525-2332
Fax: 413-525-6405
Email: info@confestlabs.com
www.confestlabs.com

CHAIN OF CUSTODY RECORD
L.M. Williams

39 SPRUCE ST, 2ND FLOOR
EAST LONGMEADOW, MA 01028

Page 1 of 2

LIMIT: 25101

Company Name: -772 C
Address: 150 Suffolk St.
Lowell MA 01854

Telephone: (978) 656-3225
Project # 115058
Client PO #

Attention: David Sullivan
Project Location: City of NYS (WMS)
Sampled By: J.S. Williams / V. K. Williams

DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT
Email: dsullivan@nys.gov
Format: EXCEL PDF XLS KEY

Proposal Provided? (For Billing purposes) Yes No
State Form Required? Yes No

Field ID	Sample Description	Lab #	Date Sampled	Start Date/Time	Stop Date/Time	Comp. Status	Grab Code	Matrix Code	Conc. Code	ANALYSIS REQUESTED	# of containers
WF-432 (1-1)	(HOLD)	016	9/1/09	0600	0905	6	S	U	X	Total Lead	1
WF-432E (1-3)	(HOLD)	016	9/1/09	0600	0905	6	S	U	X	Total Cadmium	1
WF-434 (1-1)		1383	10/31/09	0915	0930				X		
WF-434 (1-3)		1384	10/31/09	0920	0935				X		
WF-432 (1-1)		1385	10/31/09	0935	0955				X		
WF-434 (1-1)		1386	10/31/09	0935	0955				X		
WF-434 (1-3)		1387	10/31/09	0935	0955				X		
WF-434 (1-3)		1388	10/31/09	0935	0955				X		
WF-434 (1-3)		1389	10/31/09	0935	0955				X		
WF-434 (1-3)		1390	10/31/09	0935	0955				X		
WF-434 (1-3)		1391	10/31/09	0935	0955				X		
WF-434 (1-3)		1392	10/31/09	0935	0955				X		
WF-434 (1-3)		1393	10/31/09	0935	0955				X		
WF-434 (1-3)		1394	10/31/09	0935	0955				X		
WF-434 (1-3)		1395	10/31/09	0935	0955				X		
WF-434 (1-3)		1396	10/31/09	0935	0955				X		
WF-434 (1-3)		1397	10/31/09	0935	0955				X		
WF-434 (1-3)		1398	10/31/09	0935	0955				X		
WF-434 (1-3)		1399	10/31/09	0935	0955				X		
WF-434 (1-3)		1400	10/31/09	0935	0955				X		
WF-434 (1-3)		1401	10/31/09	0935	0955				X		
WF-434 (1-3)		1402	10/31/09	0935	0955				X		
WF-434 (1-3)		1403	10/31/09	0935	0955				X		
WF-434 (1-3)		1404	10/31/09	0935	0955				X		
WF-434 (1-3)		1405	10/31/09	0935	0955				X		
WF-434 (1-3)		1406	10/31/09	0935	0955				X		
WF-434 (1-3)		1407	10/31/09	0935	0955				X		
WF-434 (1-3)		1408	10/31/09	0935	0955				X		
WF-434 (1-3)		1409	10/31/09	0935	0955				X		
WF-434 (1-3)		1410	10/31/09	0935	0955				X		
WF-434 (1-3)		1411	10/31/09	0935	0955				X		
WF-434 (1-3)		1412	10/31/09	0935	0955				X		
WF-434 (1-3)		1413	10/31/09	0935	0955				X		
WF-434 (1-3)		1414	10/31/09	0935	0955				X		
WF-434 (1-3)		1415	10/31/09	0935	0955				X		
WF-434 (1-3)		1416	10/31/09	0935	0955				X		
WF-434 (1-3)		1417	10/31/09	0935	0955				X		
WF-434 (1-3)		1418	10/31/09	0935	0955				X		
WF-434 (1-3)		1419	10/31/09	0935	0955				X		
WF-434 (1-3)		1420	10/31/09	0935	0955				X		
WF-434 (1-3)		1421	10/31/09	0935	0955				X		
WF-434 (1-3)		1422	10/31/09	0935	0955				X		
WF-434 (1-3)		1423	10/31/09	0935	0955				X		
WF-434 (1-3)		1424	10/31/09	0935	0955				X		
WF-434 (1-3)		1425	10/31/09	0935	0955				X		
WF-434 (1-3)		1426	10/31/09	0935	0955				X		
WF-434 (1-3)		1427	10/31/09	0935	0955				X		
WF-434 (1-3)		1428	10/31/09	0935	0955				X		
WF-434 (1-3)		1429	10/31/09	0935	0955				X		
WF-434 (1-3)		1430	10/31/09	0935	0955				X		
WF-434 (1-3)		1431	10/31/09	0935	0955				X		
WF-434 (1-3)		1432	10/31/09	0935	0955				X		
WF-434 (1-3)		1433	10/31/09	0935	0955				X		
WF-434 (1-3)		1434	10/31/09	0935	0955				X		
WF-434 (1-3)		1435	10/31/09	0935	0955				X		
WF-434 (1-3)		1436	10/31/09	0935	0955				X		
WF-434 (1-3)		1437	10/31/09	0935	0955				X		
WF-434 (1-3)		1438	10/31/09	0935	0955				X		
WF-434 (1-3)		1439	10/31/09	0935	0955				X		
WF-434 (1-3)		1440	10/31/09	0935	0955				X		
WF-434 (1-3)		1441	10/31/09	0935	0955				X		
WF-434 (1-3)		1442	10/31/09	0935	0955				X		
WF-434 (1-3)		1443	10/31/09	0935	0955				X		
WF-434 (1-3)		1444	10/31/09	0935	0955				X		
WF-434 (1-3)		1445	10/31/09	0935	0955				X		
WF-434 (1-3)		1446	10/31/09	0935	0955				X		
WF-434 (1-3)		1447	10/31/09	0935	0955				X		
WF-434 (1-3)		1448	10/31/09	0935	0955				X		
WF-434 (1-3)		1449	10/31/09	0935	0955				X		
WF-434 (1-3)		1450	10/31/09	0935	0955				X		
WF-434 (1-3)		1451	10/31/09	0935	0955				X		
WF-434 (1-3)		1452	10/31/09	0935	0955				X		
WF-434 (1-3)		1453	10/31/09	0935	0955				X		
WF-434 (1-3)		1454	10/31/09	0935	0955				X		
WF-434 (1-3)		1455	10/31/09	0935	0955				X		
WF-434 (1-3)		1456	10/31/09	0935	0955				X		
WF-434 (1-3)		1457	10/31/09	0935	0955				X		
WF-434 (1-3)		1458	10/31/09	0935	0955				X		
WF-434 (1-3)		1459	10/31/09	0935	0955				X		
WF-434 (1-3)		1460	10/31/09	0935	0955				X		
WF-434 (1-3)		1461	10/31/09	0935	0955				X		
WF-434 (1-3)		1462	10/31/09	0935	0955				X		
WF-434 (1-3)		1463	10/31/09	0935	0955				X		
WF-434 (1-3)		1464	10/31/09	0935	0955				X		
WF-434 (1-3)		1465	10/31/09	0935	0955				X		
WF-434 (1-3)		1466	10/31/09	0935	0955				X		
WF-434 (1-3)		1467	10/31/09	0935	0955				X		
WF-434 (1-3)		1468	10/31/09	0935	0955				X		
WF-434 (1-3)		1469	10/31/09	0935	0955				X		
WF-434 (1-3)		1470	10/31/09	0935	0955				X		
WF-434 (1-3)		1471	10/31/09	0935	0955				X		
WF-434 (1-3)		1472	10/31/09	0935	0955				X		
WF-434 (1-3)		1473	10/31/09	0935	0955				X		
WF-434 (1-3)		1474	10/31/09	0935	0955				X		
WF-434 (1-3)		1475	10/31/09	0935	0955				X		
WF-434 (1-3)		1476	10/31/09	0935	0955				X		
WF-434 (1-3)		1477	10/31/09	0935	0955				X		
WF-434 (1-3)		1478	10/31/09	0935	0955				X		
WF-434 (1-3)		1479	10/31/09	0935	0955				X		
WF-434 (1-3)		1480	10/31/09	0935	0955				X		
WF-434 (1-3)		1481	10/31/09	0935	0955				X		
WF-434 (1-3)		1482	10/31/09	0935	0955				X		
WF-434 (1-3)		1483	10/31/09	0935	0955				X		
WF-434 (1-3)		1484	10/31/09	0935	0955				X		
WF-434 (1-3)		1485	10/31/09	0935	0955				X		
WF-434 (1-3)		1486	10/31/09	0935	0955				X		
WF-434 (1-3)		1487	10/31/09	0935	0955				X		
WF-434 (1-3)		1488	10/31/09	0935	0955				X		
WF-434 (1-3)		1489	10/31/09	0935	0955				X		
WF-434 (1-3)		1490	10/31/09	0935	0955				X		
WF-434 (1-3)		1491	10/31/09	0935	0955				X		
WF-434 (1-3)		1492	10/31/09	0935	0955				X		



Phone: 413-525-2332
 Fax: 413-525-6405
 Email: info@contestlabs.com
 www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR
 EAST LONGMEADOW, MA 01028

Company Name: TRC
 Address: 650 S. Park St.
Lowell MA 01854

Telephone: (778) 688-3585
 Project # 115655
 Client PO #

Attention: David Sullivan

Project Location: City of WTB (Albany)

Sampled By: D. Sullivan

Proposal Provided? (For Billing purposes)
 Yes No proposal date

State Form Required?
 Yes No

DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT

Format: EXCEL PDF XLS KEY

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Comp. Code	Matrix Code	Matrix Conc. Code	Analysis Requested	Client
	Post-3-CE (Held)	13717	3/30/09	1330	6	S	U	Total Arsenic *	Comments: A Hold for TRC analysis
	Post-3-Y (Held)	13717	3/30/09	1345	6	S	U		
	Post-3-FE (Held)	13715	3/30/09	1355	6	S	U		
	Post-3-EE	13715	3/30/09	1410	6	S	U		
	Post-3-SK (Held)	13713	3/30/09	1420	6	S	U		
	Post-3-SD	13713	3/30/09	1430	6	S	U		
	Post-3-KK (Held)	13713	3/30/09	1440	6	S	U		

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Comp. Code	Matrix Code	Matrix Conc. Code	Analysis Requested	Client
	Post-3-CE (Held)	13717	3/30/09	1330	6	S	U	Total Arsenic *	Comments: A Hold for TRC analysis
	Post-3-Y (Held)	13717	3/30/09	1345	6	S	U		
	Post-3-FE (Held)	13715	3/30/09	1355	6	S	U		
	Post-3-EE	13715	3/30/09	1410	6	S	U		
	Post-3-SK (Held)	13713	3/30/09	1420	6	S	U		
	Post-3-SD	13713	3/30/09	1430	6	S	U		
	Post-3-KK (Held)	13713	3/30/09	1440	6	S	U		

Turnaround Time Starts at 9:00 AM. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

Turnaround **
 7-Day
 10-Day
 RUSH

Require Lab Approval
 24 Hr 48 Hr 72 Hr 96 Hr

Detection Limit Requirements
 Regulations? MS-1/5-2
 Data Enhancement Project/PCP? Y N

Special Requirements or DL's: See Rpt.

Matrix Code:
 CW = groundwater
 WY = wastewater
 DW = drinking water
 A = air
 S = soil/sediment
 SL = sludge
 O = Other

Preservation Codes:
 I = Ice
 H = HCl
 M = Methanol
 N = Nitric Acid
 S = Sulfuric Acid
 B = Sodium Thiosulfate
 O = Other



Phone: 413-525-2332
 Fax: 413-525-5405
 Email: info@contestlabs.com
 www.contestlabs.com

CHAIN OF CUSTODY RECORD

39 SPRUCE ST. 2ND FLOOR
 EAST LONGMEADOW, MA 01028

LIMIT: 95101

Company Name: TRC
 Address: 650 Saffolk St.
Lowell MA 01854

Telephone: (978) 650-3505
 Project # 115055
 Client PO #

Allocation: David Sullivan
 Project Location: City of US (11514)
 Sampled By: J. Samuels

DATA DELIVERY (check one):
 FAX EMAIL WEBSITE CLIENT
 Email: dsullivan@contestlabs.com
 Format: EXCEL PDF GIS KEY

Proposal Provided? (For Billing purposes) Yes No
 State Form Required? Yes No
 Proposal date: 2/20/07

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Comp. Code	Matrix Code	Conc. Code	Analysis Requested	Preservation Codes	Comments
WFBS-2T	(Hold)	1198	3/5/14	1130	6	S	A	Total Arsenic *		(Hold)
Post-3CC		1198		1150						* Helber TRCP Analysis
Post-3ST	(Hold)	13712		1205						(Hold)
Post-3BR		1198		1225						(Hold)
Post-3II	(Hold)	13710		1240						(Hold)
Post-3AA		1198		1250						(Hold)
Post-3HH	(Hold)	13714		1300						(Hold)
Post-3E		1198		1315	6	S	A			

Please use the following codes to let Cert. Lab know if a specific sample may be high in concentration in Matrix/Conc. Code Box:
 H - High, M - Medium, L - Low, C - Clean, U - Unknown

Preparation: 1198 Date: 2/14/07 Time: 09:55
 Analyzed by: AV Date: 2/14/07 Time: 16:55
 Turnaround: 7 Day 10 Day RUSH
 Require lab approval: 72-Hr 4-Day

Detection Limit Requirements: MLP 5-1/5-2
 Data Enhancement Project/CP? Y N
 Special Requirements or DL: See Date

Matrix Code: GW - groundwater
 WWA - wastewater
 DW - drinking water
 A - air
 S - soil/sediment
 SL - sludge
 O - other

Preservation Codes:
 I - Iced X - Na hydroxide
 H - HCl T - No preservative
 M - Methane
 N - Nitric Acid
 S - Sulphuric Acid
 B - Sodium borate
 O - Other

TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAP & WBE/DBE Certified

tferrentino@contestlabs.com

From: "Sullivan, Dave (Lowell,MA-US)" <DSullivan@TRCSOLUTIONS.com>
To: <tferrentino@contestlabs.com>
Cc: "Silverman, Diane (Lowell,MA-US)" <DSilverman@trcsolutions.com>; "Zhou, Ping (Lowell,MA-US)" <PZhou@trcsolutions.com>; "Denly, Elizabeth (Lowell,MA-US)" <edenly@trcsolutions.com>
Sent: Wednesday, May 06, 2009 4:38 PM
Attach: Holds for NBHS and Walsh 5 6 09.pdf
Subject: More holds for NBHS and Walsh

Theresa:

Please see attached scans that go along with this.

LIMIT-24445

HF-43H (1-3) – lead only.

LIMIT-23805

SS-36F (0-1) – lead only.
SS-36F (1-3) – lead only.
SS-36G (0-1) – lead only.
SS-36G (1-3) – lead only.
SS-36H (0-1) – lead only.
SS-36H (1-3) – lead only.

LIMIT-24376


Post-3JJ – arsenic only.
Post-3KK – arsenic only.
Post-3HH – arsenic only.
Post-3FF – arsenic only.
Post-3II – arsenic only.
Post-3GG – arsenic only.

Please expedite if you can.

Many thanks,

-Dave

David M. Sullivan, LSP, CHMM
Senior Project Manager



TRC
Wannalancit Mills
650 Suffolk Street

Lowell, Massachusetts 01854

978-656-3565 phone

978-453-1995 fax

978-758-2809 cell

dsullivan@trcsolutions.com

SAMPLE REACTIVATION FORM

COMPANY TRC Lowell LOCATION on hold Family

CONTACT Dave Sullivan PROJECT ID _____

CONTACT PHONE _____ FAX _____

DATE 5/6/09 TIME _____ TAT 48 hr DUE DATE _____

REQUEST TAKEN BY TRC GIVEN TO log-in

ACTIVATION REQUEST:

See attached

SPECIAL INSTRUCTIONS AND TERMS:

FAXED TO CONTACT FOR APPROVAL: Y N

ACTIVATION IS CORRECT PER OUR REQUEST _____ DATE _____

CONTEST FINAL APPROVAL *[Signature]*
INITIALS